

# MODEL YEAR 2009



# CONVERSION SPECIFICATIONS

## Customer Designer Choice

**Coach:** #1180 XLVII3SF

**Vehicle Identification #:** 89526  
**Registered State:** Oregon  
**Sales Representative:**  
**Project Engineer:** Jay Graham  
**Interior Designer:** Gail Curtis  
**Electrical Engineer:** John Randleman  
**Mechanical Engineer:** Jay Graham/Jason Groshong  
**Project Leader:** TBD

### TABLE OF CONTENTS

<b>CUSTOMER LETTER OF AGREEMENT</b>	Page 2
<b>SPECIAL NOTES</b>	Page 3
<b>1. CHASSIS/FLOOR PLAN SPECIFICATIONS</b>	Page 4
<b>2. CABINTRY/FINISH SPECIFICATIONS</b>	Page 6
<b>3. SOLID SURFACING/COUNTERTOPS</b>	Page 8
<b>4. CEILING/WINDOW/WALL TREATMENTS</b>	Page 10
<b>5. FLOOR COVERINGS</b>	Page 12
<b>6. FURNITURE/UPHOLSTERY</b>	Page 14
<b>7. EXTERIOR SPECIFICATIONS</b>	Page 16
<b>8. UNDERBELLY/MECHANICAL SPECIFICATIONS</b>	Page 18
<b>9. ELECTRICAL/POWER MANAGEMENT</b>	Page 20
<b>10. CLIMATE CONTROL/VENTILATION</b>	Page 22
<b>11. INTERIOR LIGHTING</b>	Page 24
<b>12. AUDIO/VIDEO SPECIFICATIONS</b>	Page 26
<b>13. COMMUNICATION/INFORMATION SYSTEMS</b>	Page 28
<b>14. PLUMBING SPECIFICATIONS</b>	Page 30
<b>15. APPLIANCE SPECIFICATIONS</b>	Page 32
<b>16. ACCESSORIES/MISCELLANEOUS</b>	Page 34
<b>17. CEILING/WINDOW/WALL COMPONENTS CHART</b>	Page 1C
<b>18. FLOORING COMPONENTS CHART</b>	Page 3C
<b>19. FURNITURE/UPHOLSTERY COMPONENTS CHART</b>	Page 5C
<b>20. PLUMBING COMPONENTS CHART</b>	Page 7C
<b>21. ACCESSORIES/MISC. COMPONENTS CHART</b>	Page 9C
<b>22. FABRIC/MATERIAL CHART</b>	Page 11C
<b>23. NON-STOCK ITEM REQUISITION FORM</b>	Page 13C

---

Model year specifications may change without notice and pertain only to Prevost chassis' starting with serial #1149XL/1152H3  
Modification sections take precedent over the standard spec listings

Customer signature:

Date:

## **CUSTOM ORDER LETTER OF AGREEMENT**

- 1.** As of the date of this signing, all selections are final. Changes, additions or deletions at the request of the client may result in additional expense to the client and/or a revision of the date of delivery.
  
- 2.** Assignment of the exact production slot for a custom coach will only occur after the coach specifications are finalized. If there are significant open issues or unanswered questions after the customer spec meeting, it will most likely require a later production slot to be utilized.
  
- 3.** Changes, additions or deletions will generally not be possible once the coach enters production. Changes after that point are typically processed through the Marathon Service Center on a quoted or time and material basis.
  
- 4.** Due to innovations and improvements within the motorcoach industry, Marathon Coach reserves the right to substitute equal or better quality equipment or materials as warranted.
  
- 5.** Marathon Coach works to a very aggressive production schedule. While every effort will be made to meet the "goal" delivery date, generally the actual delivery date will be 2-4 weeks after the goal date. Allowing the necessary time at the end of production for "Quality Assurance" testing is critical to the overall quality and reliability of each coach. Around 60 days from coach completion, your sales person will communicate the projected final delivery date for your coach.

Customer signature:

Date:

**SPECIAL NOTES:**

1. None

Customer signature:

Date:

# 1. CHASSIS/FLOOR PLAN SPECIFICATIONS

## 1.1. All Marathon Prevost conversions include:

1. Engine and power train features as follows:
  1. Detroit diesel series 60 515 Hp engine (455 Hp on 40 foot coaches)
  2. Allison World 6-speed transmission
  3. Engine block heater and hot water booster pump
  4. Racor fuel filter separator
  5. Three 24 volt/140 amp alternators - one for chassis and two for house batteries
  6. Jacob's engine brake (*transmission retarder available on custom order*)
  7. Roof engine exhaust with low emission diesel particle filter system & exhaust extension
2. Comfort and driving features as follows:
  1. Custom pilot seat with air suspension
  2. DDEC VI pro driver electronic controls
  3. Variable assistance steering system
  4. Electric Ramco rear view mirrors
  5. Convex top rear view mirror extensions
  6. Level low air leveling system
  7. Thermopane windows
  8. Round fog lamps
  9. Xenon low beam headlights
  10. Beru tire pressure monitoring system with LCD dash display
3. Exterior and utility features as follows:
  1. Six Alcoa polished aluminum wheels (steel wheels on the inside duals)
  2. Back-up alarm
  3. Courtesy underbelly light group
  4. S.A.E class 4 hitch - 20,000 lb. maximum towing capacity & 1,500 lb. tongue weight
  5. Spare parts kit

## 1.2. Prevost chassis selections include:

1. Chassis Type: **Prevost 45 foot LeMirage**
2. Conversion Type: **Triple Slideout**
3. Chassis Heat-A/C system: **Drivers heat and air conditioning**
4. Interior coach height: **86" (unfinished-standard LeMirage)**

## 1.3. Prevost window configurations:

1. Fwd. curbside windows: **Slideout, three total - Awning window in center position**
  1. Slideout end windows: **Two total - Fixed windows in each end of slideout room**
2. Fwd. driverside windows: **Slideout, three total - Awning window in center position**
  1. Slideout end windows: **Two total - Fixed windows in each end of slideout room**
3. Rear curbside windows: **One total - Awning window (XLII)**
  1. Slideout end windows: **Not applicable - no slideout room**
4. Rear driverside windows: **One total - Awning window (XLII)**
  1. Slideout end windows: **Sheet metal panel on forward end, fixed window on rear**

## 1.4. Slideouts - Room details as follows:

1. Slideout vendor: **Valid Manufacturing**
2. Salon curbside slideout: **LeMirage - 13' long room (raised floor)**
3. Salon driverside slideout: **LeMirage - 14' 6" long room (raised floor)**
3. Bedrm curbside slideout: **Not applicable**
4. Bedrm driverside slideout: **LeMirage - 10' 5" long room**

## 1.5. Base floor plan: **Custom - see Modifications**

*See page 5 for modifications to Chassis/Floor Plan Specifications*

Customer signature:

Date:

**Modifications to Chassis Specifications:**

1. Modified X3-K floor plan

- \_\_\_\_\_ 2.
- \_\_\_\_\_ 3.
- \_\_\_\_\_ 4.
- \_\_\_\_\_ 5.
- \_\_\_\_\_ 6.
- \_\_\_\_\_ 7.
- \_\_\_\_\_ 8.
- \_\_\_\_\_ 9.
- \_\_\_\_\_ 10.
- \_\_\_\_\_

Customer signature:

Date:

## 2. CABINETRY/FINISH SPECIFICATIONS

2.1. Cabinet finish: **Lamin-Art: Oiled Teak #3050-G**

2.2. Laminate finish: **Gloss**

2.3. Accent finish: **Oil rubbed bronze**

2.4. General cabinetry as follows:

1. Laminated, fabric lined cabinets with radius bends (on vertical corners) throughout interior
2. Bronze mirror on all applicable wardrobe doors
3. Color matched, custom built louvers, moldings, trim and drawer boxes (with liners)

4. Cabinet pulls: **Colonial Bronze #351**

1. Cabinet pull style: **Surface mount pulls**

2. Cabinet pull finish: **M-20A**

5. Drawer box finish: **Walnut dovetail drawers**

2.5. Cockpit cabinetry as follows:

1. Front overhead cabinetry: **Flip-down storage box configuration**

2. Pilot and copilot consoles with solid surface countertop and large drink holder

2.6. Salon cabinetry as follows:

1. Endtable behind pilot seat with solid surface countertop

2. Floor plan specific salon cabinetry as follows:

1. Occasional table: **Includes countertop and shelf storage**

2. TV cabinet: **Swing out 42" LCD TV in rear of salon slideout**

3. Driverside wainscot: **Includes tip-out bins with fabric inserts (standard on slideouts)**

4. Curbside wainscot: **Includes tip-out bin(s) with fabric insert(s)**

2.7. Galley/Dinette cabinetry as follows:

1. Galley lower cabinet with fixed shelves and/or pull-out shelves and drawers

2. Galley upper cabinet with deep shelving

3. Floor plan specific galley/dinette cabinetry as follows:

1. Appliance storage: **Not applicable**

2. Galley display cab: **Not applicable**

3. Dinette seating: **Angled L-shaped booth with pedestal storage**

4. Dinette upper: **Upper cabinet with lighted display cabinet on forward end**

5. Dinette display cab: **Slideout display cabinet**

2.8. Bathroom cabinetry as follows:

1. Bathroom vanity includes under sink storage

2. Bathroom medicine cabinet includes storage and clear mirror doors

3. Floor plan specific bathroom cabinetry:

1. Water closet vanity: **Includes under sink storage**

2. Water closet med cab: **Includes storage and clear mirror doors**

3. Bathroom wardrobe: **Not applicable**

4. Bunk beds (two total): **Not applicable**

2.9. Bedroom cabinetry as follows:

1. Bed pedestal **All slideouts - Heaters under bed for H3-45, drawer for XLII**

2. Nightstands with solid surface countertops

3. Floor plan specific bedroom cabinetry:

1. Wainscot storage cab: **Not applicable - pop up TV cabinet**

2. Make-up area: **Base cabinet with sink and medicine cabinet**

3. Rear wardrobe: **Walk-in closet with full hang and air pocket door(s)**

4. Rear drawer bank: **Installed in walk-in closet (includes A/V equipment)**

5. Bedroom upper: **Side to side above head of bed**

2.10. Pocket doors with full length bronze mirrors installed as follows:

1. Galley/Bathroom door: **Air powered door with mirror on galley side**

2. Water closet door: **Air powered door with mirror on bath side**

3. Bathroom/bdrm door(s): **Air powered door with mirror on bedroom side**

4. Walk-in wardrobe door(s): **Dual air powered doors with mirror on outside**

2.11. *Underbelly Cabinetry - See "8. Underbelly/Mechanical Specifications"*

*See page 7 for modifications to Cabinetry/Finish Specifications*

Customer signature:

Date:

**Modifications to Cabinetry/Finish Specifications:**

1. Install pull-out fabric wrapped shelves in driverside pantry cabinet in lieu of chrome racks.

\_\_\_\_\_ 2. See Section 6. Furniture/Upholstery for details on headboard.

\_\_\_\_\_ 3. See Section 15. Appliance Specifications for details on built-in coffee maker in galley.

\_\_\_\_\_ 4. Refrigerator Pulls to be ordered along with cabinetry pulls. See SECTION 14, APPLIANCES

\_\_\_\_\_ 5. Headboard with LED rope lighting (switched separately) to be added. See SECTION 6, FURNITURE/ UPHOLSTERY.

\_\_\_\_\_ 6. Bedroom upper, galley upper and dinette upper doors to get metal laminate inserts, with wood moulding. See Jay before building doors for moulding pattern match and size of opening for insert.

\_\_\_\_\_ 7.

\_\_\_\_\_ 8.

\_\_\_\_\_ 9.

\_\_\_\_\_ 10.

Customer signature:

Date:

### **3. SOLID SURFACING/COUNTERTOPS**

#### **3.1. Solid surface countertop material(s) and design(s) as follows:**

- 1. Countertop material: **Hudson Surfaces: HS-534 Gold Dust (See Modifications)**
- 2. Build-down: **Hudson Surfaces: HS-813 Tuscany (See Modifications)**
- 3. Contrast/Accent: **Hudson Surfaces: HS-614 Quarry (See Modifications)**
- 4. Countertop finish: **Polished finish**
- 5. Edge detail: **Bangor 130**
- 6. Optional details: **1 1/2" contrasting perimeter (optional) - See Modifications**
- 7. Optional details: **Etched Inlay design (optional) - See Modifications**
- 8. Recessed accent trim: **Match cabinet laminate**

#### **3.2. All conversions include the following matching solid surface countertops:**

- 1. Pilot console countertop that includes:
  - 1. Large drink holder insert
  - 2. Travel recess (LeMirage only)
- 2. Copilot console with large drink holder insert
- 3. Forward driverside endtable
- 4. Salon/dinette window sills
- 5. Galley countertop:
  - 1. Includes "Reservoir Splash" edge treatment
  - 2. *See "14. Plumbing Specifications" (pg. 30) for sink details*
  - 3. *See "15. Appliance Specifications" (pg. 32) for cooktop details*
- 6. Dinette table as follows:
  - 1. Dinette table style: **Solid surface table with perimeter accent lighting - See Modifications**
  - 2. Installation detail: **Installed with electric table slide and manual swivel**
  - 3. Dinette table leg type: **Floor mounted, curved table leg**
  - 4. Dinette table leg finish: **Oil rubbed bronze finish**
- 7. Bathroom vanity - see "14. Plumbing Specifications" (pg. 30) for sink details
- 8. Water closet vanity - see "14. Plumbing Specifications" (pg. 30) for sink details (flp dependent)
- 9. Bedroom vanity - see "14. Plumbing Specifications" (pg. 30) for sink details (flp dependent)
- 10. Two nightstand countertops - includes solid surface cord management grommet (flp dependent)
- 11. Bedroom window sills

#### **3.3. Designer backsplashes behind vanity sinks:**

- 1. Bathroom backsplash: **Not applicable**
- 2. Water closet backsplash: **Decorative tiled backsplash - see Interior Designer**
- 3. Bedroom backsplash: **Decorative tiled backsplash - see Interior Designer**

#### **3.4. Solid surface shower stall - see "14. Plumbing Specifications" (pg. 30) for shower stall details *See page 9 for modifications to Solid Surfacing/Countertops***

Customer signature:

Date:

**Modifications to Solid Surfacing/Countertops:**

1. Solid Surface Same as 1175: Countertops, end tables, occasional tables, dinette tabletop & nightstands: Gold Dust with Art Betterly build-down in Tuscany. 3/8" pinstripe inlay (between Gold Dust and Tuscany) in contrasting Quarry.

---

2. Window sills, pilot & copilot consoles - Tuscany only.

---

3. Add full-height solid surface & tiled backsplash in galley behind sink and cooktop. See Gail's project book for drawing.

---

4. Full height solid surface & tiled water closet and bedroom vanity backsplashes. No mirror or laminate above. See Gail's project book for drawing.

---

5. See SECTION 14, PLUMBING , for details on WC an bedroom vanity sinks and shower materials.

---

- 6.

---

- 7.

---

- 8.

---

- 9.

---

- 10.

---

Customer signature:

Date:

#### **4. CEILING/WINDOW/WALL SPECIFICATIONS**

##### **4.1. Ceiling treatments include padded ultrasuede covered ceilings as follows:**

###### **1. Salon/Galley ceiling as follows:**

- 1. Salon/galley style: **Sculpted, overlaid, wrapped ceiling panels**
- 2. Salon/galley pattern: **Diamond pattern - SEE MODIFICATIONS**
- 3. Accent Lighting: **Four-color fiberoptics**

###### **2. Bathroom ceiling as follows:**

- 1. Bathroom style: **Sculpted, overlaid, wrapped ceiling panels**
- 2. Bathroom pattern: **Diamond pattern (excluding water closet ceiling) - SEE MODIF**
- 3. Accent Lighting: **Four-color fiberoptics**

###### **3. Bedroom ceiling as follows:**

- 1. Bedroom style: **Sculpted, overlaid, wrapped ceiling panels**
- 2. Bedroom pattern: **Diamond pattern - SEE MODIFICATIONS**
- 3. Accent Lighting: **Four-color fiberoptics**

###### **4. Slideout cap styles as follows:**

- 1. Salon cap(s) style: **Standard**
- 2. Bedroom cap(s) style: **Standard**

*5. See "10. Climate Control/Ventilation (pg. 22) for bedroom ceiling fan details*

##### **4.2. Designer window treatments throughout as follows:**

###### **1. Cockpit window shades: **Motorized pleated shades****

###### **2. Salon/Dinette windows as follows:**

- 1. Salon/dinette stiles: **Custom - see Modifications**
- 2. Salon/dinette valances: **Custom - see Modifications**
- 3. Salon/dinette shades: **Motorized pleated shades with blackout**
- 4. Slideout ends shades: **Motorized pleated shades with blackout**
- 5. Lighting options: **See "11. Interior Lighting" (pg. 24) for details**

###### **3. Galley windows as follows:**

- 1. Galley stiles: **Match salon/dinette window stiles**
- 2. Galley shades: **Not Applicable**

###### **4. Bedroom windows as follows:**

- 1. Bedroom stiles: **No stiles - blind guides incorporated into cabinetry**
- 2. Bedroom valances: **Valance incorporated into roman shade**
- 3. Bedroom shades: **Motorized roman shades (blackout)**
- 4. Slideout ends shades: **Motorized roman shades (blackout)**
- 5. Lighting options: **See "11. Interior Lighting" (pg. 24) for details**

##### **4.3. Designer wall treatments throughout as follows:**

###### **1. Salon wainscot: **Not applicable due to wainscot cabinetry****

###### **2. Bathroom walls: **Cabinet laminate on all applicable walls****

###### **1. W/C upper wall: **Designer wallcovering****

###### **2. W/C wainscot wall: **Flooring material - see item 5.8.3 in section 5 "Floor Coverings"****

###### **3. Bathroom wardrobe: **White Cap vinyl (#115889)****

###### **4. Bedroom wainscot: **Cabinet laminate on driverside (wainscot cabinetry on C/S)****

###### **5. Bedroom walls: **Cabinet laminate on all applicable walls****

###### **6. Rear bedroom wardrobe: **White Cap vinyl (#115889)****

###### **1. Custom wardrobe matching shoe bags/access panel (chassis specific)**

*See page 11 for modifications to Ceiling/Window/Wall Treatments*

Customer signature:

Date:

**Modifications to Ceiling/Window/Wall Treatments:**

1. Custom window boxes to accommodate the LED window stile lighting visible from the coach exterior in both the salon and bedroom (no half illuminated stiles).
2. LED rope lighting visible from the exterior on the backside of the bedroom C/S valance board and on the D/S behind the upper cabinet (locate at same height as salon valance accent lighting)
3. Ceiling: Chemetal inner ceiling diamonds with frames painted to match cabinet laminate.
4. Salon Valances: wood cornice moulding painted to match cabinet laminate.
5. Wooden Post Covers: Outer accent and inner trim stained to match laminate (same trim used on cabinet inserts) with cabinet laminate inserts.
6. No galley window blinds. Full tiled/solid surface backsplash.
7. Headboard with LED rope lighting (switched separately) to be added. See SECTION 6, FURNITURE/ UPHOLSTERY.
8. See Section 14, PLUMBING for stone/decorative tiled shower walls.
- 9.
- 10.

Customer signature:

Date:

**5. FLOOR COVERINGS**

**5.1. Entrance flooring treatments as follows:**

- 1. Entry steps: **Marble - tiles**
- 2. Entry risers: **Polished stainless steel (standard)**
- 3. Entry sidewalls: **Polished stainless steel (standard)**
- 4. Entry landing: **Marble - tiles**
- 5. Pilot floor area: **Marble - tiles**
- 6. Copilot floor area: **Marble - tiles**
- 7. Stairwell cover: **Carpet**
- 8. Treadliners as follows:

- 1. Individual mats with non-slip backing for steps, landing and under pilot's feet
- 2. Color: **Custom - see Modifications**

**5.2. Salon flooring as follows:**

- 1. Flooring material: **Wood plank flooring**
- 2. Design/layout: **Standard front to back wood plank layout - 5" planks**

**5.3. Dinette flooring as follows: Same as salon**

**5.4. Galley flooring as follows:**

- 1. Base material: **Wood plank flooring**
- 2. Base size: **5" wide wood planking**
- 3. Accent material: **Not applicable**
- 4. Accent material size: **Not applicable**
- 5. Pattern: **Not applicable**
- 6. Base layout: **Wood plank flooring front to back**
- 7. Accent layout: **Not applicable**
- 8. Grout material: **Not applicable**

**5.5. Bathroom flooring as follows: - SAME AS GALLEY**

- 1. Base material:
- 2. Base size:
- 3. Accent material:
- 4. Accent material size:
- 5. Pattern:
- 6. Base layout:
- 7. Accent layout:
- 8. Grout material:

**5.6. Water closet flooring: Matches ENTRY: 12x12" Marble Tiles; Pattern #2 at 45°**

**5.7. Bedroom flooring as follows:**

- 1. Flooring material: **Plush carpet with foam pad**
- 2. Design/layout: **Single color carpet - no sculpturing or design**

**5.8. Miscellaneous flooring treatments as follows:**

- 1. Bathroom-W/C side chase: **Matches WC flooring material**
- 2. Bathrm-W/C side chase cap: **Matches WC flooring base material**
- 3. Bathroom-W/C wainscot: **Matches water closet floor material**
- 4. Walk-in wardrobe floor(s):
  - 1. Bathroom wardrobe: **Matches bedroom flooring material**
  - 2. Bedroom wardrobe: **Matches bedroom flooring material**

**5.9. Miscellaneous flooring features include:**

- 1. Protective clear vinyl floor runner installed from cockpit to bedroom
- 2. Replacement flooring materials provided with each coach

*See page 13 for modifications to Floor Coverings*

Customer signature:

Date:

**Modifications to Floor Coverings:**

1. Treadliner: Blend Choco #41205166

2. Provide area rug for salon.

3. See SECTION 3, SOLID SURFACE/COUNTERTOPS for backsplash details and SECTION 14, PLUMBING SPECIFICATIONS for shower material details.

4.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

## **6. FURNITURE/UPHOLSTERY**

### **6.1. Isri leather pilot seat includes:**

1. Air suspension
2. Adjustable arm rests with height extensions
3. Seat belt extensions
4. Pull-out seat extension
5. Variable massage unit with remote control

### **6.2. 28" wide leather copilot seat includes:**

1. 6-way power control
2. Map and magazine storage on back
3. Recliner with leg rest and flip-down foot rest
4. Electric headrest and lumbar support
5. Variable massage unit with remote control
6. Swivel for use as salon seating (n/a on H3-45)

### **6.3. Curbside salon furniture as follows:**

1. C/S furniture type: **One Lafer recliner**
2. C/S furniture covering: **All leather (optional)**
3. C/S upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
4. C/S standard features: **Recliner(s) installed on electric slide (XLVII3S & 4S only)**
5. C/S optional features: **Recliner base(s) painted to match laminate**
6. C/S optional features: **Not applicable**

### **6.4. Driverside salon furniture as follows:**

1. D/S furniture type: **78" straight sleeper sofa**
2. D/S furniture covering: **All fabric (standard)**
3. D/S upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
4. D/S standard features: **Full width sofa storage box and seat belts (slideout sofas)**
5. D/S optional features: **Two small square ottomans with storage in each**
6. D/S optional features: **Not applicable**

### **6.5. Dinette seating as follows:**

1. Dinette seating type: **Angled L-shaped booth**
2. Dinette seating covering: **Leather seat and fabric back (optional)**
3. Dinette upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
4. Dinette seating features: **Cabinet matching pedestal with drawer(s)**

### **6.6. Bed selections as follows:**

1. Bed style: **Cross bed (driverside)**
2. Bed size: **Jr. King - 66" wide x 77" long (standard)**
3. Bed shape: **Straight sides with 12" bottom radius corners**
4. Bed mattress: **Premium foam (standard)**

### **6.7. Bedroom make-up vanity as follows:**

1. Make-up stool type: **Not applicable**
2. Make-up stool covering: **Not applicable**
3. Make-up stool features: **Not applicable**

***See page 15 for modifications to Furniture/Upholstery***

Customer signature:

Date:

**Modifications to Furniture/Upholstery:**

1. Add upholstered headboard with lighting and wood frame. Lighting to be switched separately from accents. See Gail's project book for drawing. **See SECTION 11 INTERIOR LIGHTING**

\_\_\_\_\_ 2. Recliner installed on electric slide/manual swivel base. Paint base to match cabinet laminate & reupholster.

\_\_\_\_\_ 3. Pilot & copilot seats to have contrasting leather welting & embossed inserts.

\_\_\_\_\_ 4.

\_\_\_\_\_ 5.

\_\_\_\_\_ 6.

\_\_\_\_\_ 7.

\_\_\_\_\_ 8.

\_\_\_\_\_ 9.

\_\_\_\_\_ 10.

\_\_\_\_\_

Customer signature:

Date:

## 7. EXTERIOR SPECIFICATIONS

### 7.1. Exterior paint process includes:

1. Custom exterior paint design by in-house Marathon Exterior Paint Department
2. Premium quality paint used throughout
3. Multiple clearcoat process for lasting protection and final finish
4. Heated curing process for ultimate durability
5. Extensive final waxing process for superior shine and finish
6. Clear "Invinca Shield" protective film installed on the front and the fenders of all coaches

### 7.2. Full Girard awning packages as follows:

1. Two curbside patio awnings with wind sensors
2. Two driverside window awnings with wind sensors
3. Crestron wireless remote control and fixed awning switches in the cockpit (*New for 2008*)
4. Four awning matching chrome Zip Dee chairs with embroidered Marathon logos
5. Manual awning crank handle provided
6. Awning package color: **4672 Heather Beige**

### 7.3. Exterior enhancement packages as follows:

1. Fiberglass "Hot Rod" packages as follows:
  1. Front fenders: **"Shadow" style (standard on LeMirage)**
  2. Rear fenders: **"Trilogy" style (standard on LeMirage)**
  3. Taillight housings: **LeMirage "Corvette" taillight housing (standard on XLVII)**
  4. Front roof cap: **Standard LeMirage - Includes LED backlit panel**
  5. Rear roof cap: **Standard Lemirage rear spoiler**
  6. License plate frame(s): **See license plate housing on item 7.3.2.9**
  7. Headlight bezels: **Carbon fiber bezels**
2. Polished stainless steel accessories as follows:
  1. Exterior side panels: **Polished stainless steel side panels**
  2. Rub rails: **"Radius faced" LeMirage rub rails (standard)**
  3. Hub caps: **Custom cast, polished aluminum full cover hubcaps**
  4. Front grill(s): **LeMirage "Magnum XL2" (standard on LeMirage)**
  5. Bumper trim: **LeMirage stainless steel front & rear bumper inserts**
  6. Taillight housing inserts: **LeMirage stainless steel inserts (standard on LeMirage)**
  7. Engine door accents: **LeMirage stainless steel strips on door louvers**
  8. Marker light frames: **Stainless steel, standard**
  9. License plate housing: **Stainless steel (one on H3-45, two on LeMirage)**
  10. Gen. exhaust tip: **Stainless steel, standard**
  11. Webasto exhaust tip: **Stainless steel, standard**

### 7.4. Miscellaneous exterior equipment includes:

1. Entrance door external porch light with "ON" indicator (activates with patio lights)
2. Individual mud flaps behind front wheels
3. Individual drive axle mud flaps with polished stainless steel trim (*LeMirage only*)
4. Rear fender skirt storage on LeMirage coaches
5. European/American tow car package - 6 and 7 pin receptacles
6. Two curbside patio lights switched at entrance & entertainment bay
7. Custom exterior LED lighting as follows:
  1. LeMirage front cap: **Blue (standard)**
  2. LED ground effects: **Blue LEDs**

### 7.5. Roof equipment includes:

1. Solar panel - see "9. Electrical/Power Management" (pg. 20) for details
2. Roof air conditioners - see "10. Climate Control/Ventilation" (pg. 22) for details
3. Audio/Video antennas - see "12. Audio/Video Specifications" (pg. 26) for details
4. Cell phone/GPS/CB antennas - see "13. Communication/Info. Systems" (pg. 28) for details
5. Stainless steel roof exhaust heat shield installed on rear roof cap

*See page 17 for modifications to Exterior Specifications*

Customer signature:

Date:

**Modifications to Exterior Specifications:**

1. See section 13. Communication/Information Systems for details on Aiphone intercom pre-wire at entrance.  
\_\_\_\_\_
2. Install two curbside Girard awnings with the motorized window shade option (note: one unit is currently in stock)  
\_\_\_\_\_
3.  
\_\_\_\_\_
4.  
\_\_\_\_\_
5.  
\_\_\_\_\_
6.  
\_\_\_\_\_
7.  
\_\_\_\_\_
8.  
\_\_\_\_\_
9.  
\_\_\_\_\_
10.  
\_\_\_\_\_

Customer signature:

Date:

## **8. UNDERBELLY/MECHANICAL SPECIFICATIONS**

### **8.1. Marathon auxiliary air system includes:**

1. 110 volt air compressor installed in generator bay
2. Auxiliary air tank **LeMirage - 3 gallon tank behind front bumper**
3. 50 foot air hose on rack **Back of bay 2 driverside door**
4. Quick connect air fitting Located in pilot utility compartment
5. Air operated equipment includes:
  1. Stairwell cover
  2. Generator air bags
  3. Plumbing bay sewer hose/shore cord access door (includes air gauge)
  4. Pocket doors - see "2. Cabinetry/Finish Specifications" (pg. 6) for locations

### **8.2. Carpeted and insulated underbelly storage compartments as follows:**

1. Electric bay door locks: Switched at entrance
2. Bay lights: Switched at entrance and entertainment center
3. Underbelly carpet color: **Taupe**
4. Underbelly cabinet color: **Match cabinet laminate**
5. Side to side storage bay(s): **Bay 2 on LeMirage**

### **8.3. Underbelly cabinetry as follows:**

1. Entertainment center: **Bay 4 curbside (see "12. Audio/Video" for details)**
2. Zip Dee chair storage box(es) covered in underbelly carpet

### **8.4. Miscellaneous utility and underbelly equipment includes:**

1. Four Zip Dee chairs **XLVII slideout - 2 on C/S bay 1 door, 2 on C/S bay 2 door**
2. 13' multi-position ladder **Rear wall of bay 2**
3. Marathon entry mat **Back of bay 3 curbside door**
4. Cargo netting **XLVII slideout - Located on back of bay 3 driverside door**
5. Jack and lug wrench **Not applicable**
6. Two fire extinguishers **LeMirage - two, one on each side of full width storage bay**
7. Exterior paint touch-up kit
8. Paper towel dispenser (plumbing bay)
9. Liquid soap dispenser (plumbing bay)
10. Disposable glove dispenser (plumbing bay)
11. Air horns installed behind front bumper

**8.5.** *See "9. Electrical/Power Management" (pg. 20) for generator and battery details*

**8.6.** *See "10. Climate Control/Ventilation" (pg. 22) for heating and air conditioning details*

**8.7.** *See "14. Plumbing Specifications" (pg. 30) for plumbing bay details*

*See page 19 for modifications to Underbelly/Mechanical Specifications*

Customer signature:

Date:

Modifications to Underbelly/Mechanical Specifications:

1. **Pre-wire and pre-plumb for air operated cargo roll out in bay 2 (roll-out to be installed by Marathon Florida service center)**

\_\_\_\_\_ 2. **Four zip-dee chairs: (2) Each on back of curbside bay doors 1 and 2**

\_\_\_\_\_ 3.

\_\_\_\_\_ 4.

\_\_\_\_\_ 5.

\_\_\_\_\_ 6.

\_\_\_\_\_ 7.

\_\_\_\_\_ 8.

\_\_\_\_\_ 9.

\_\_\_\_\_ 10.

\_\_\_\_\_

Customer signature:

Date:

## **9. ELECTRICAL/POWER MANAGEMENT**

### **9.1. Techlink™ “intelligent” electrical control system includes:**

1. Multiple module network system
2. Dash monitor to display coach systems status:
  1. *See "13. Communication/Information Systems" (pg. 28) for display details*
3. Integrated modem for remote diagnostic service capability
4. Custom switch group panels:
  1. Individually illuminated, status-indicating membrane switches
  2. Switches have re-label and re-program capability
  3. Switch group trim: **Black**

### **9.2. Shore power system includes:**

1. Marathon T-50 "Smart Plug" shore power monitoring system
2. Automatic shore/generator power transfer switching
3. 50 amp power cord - includes electric winder and remote control
4. Single 30 amp and 15 amp shore power adapters

### **9.3. Kohler 20 kW turbo-charged generator includes:**

1. Installed on rollout rack: **XLVII - Located in bay 1 driverside**
2. Pressure regulated air bag mounts
3. "Generator Start" switch located at dash
4. Extensive sound deadening of generator compartment
5. Exhaust system: **Exhausted to rear bumper (standard)**

### **9.4. House battery system includes:**

1. Six 4D house batteries **XLVII - Located in bay 5 curbside**
2. One isolated Group 24 generator battery
3. Roof mounted solar panel for trickle charge of the generator battery
4. Two 140 amp, 24 volt, engine-driven alternators for house battery charging
5. Auto-Gen" battery charging system - *generator starts automatically to charge house batteries*

### **9.5. Chassis battery system includes:**

1. 140 amp, 24 volt, engine driven alternator for chassis battery charging
2. Internal jump start capabilities between house and chassis batteries
3. Dash mounted switch and indicator for battery jump start system
4. Battery charger installed in engine bay - *maintains chassis batteries during coach storage*

### **9.6. Two Trace 4000 inverter/chargers include:**

1. Inverter location: **XLVII slideout - Side by side on bay 3 driverside floor**
2. Fan ducted exterior ventilation
3. Interior remote controls: **Located with DC breaker panel**
4. Two *emergency* inverter bypass switches

### **9.7. 12 volt power system includes:**

1. DC breaker panel **Located in wall behind toilet**
2. Power outlets at instrument dash and behind pilot seat

### **9.8. 110 volt power system includes:**

1. AC breaker panel **Located in wall behind toilet**
2. Decora style convenience outlets located throughout interior
  1. Outlet color: **Custom - see Modifications**
3. GFCI breaker controlled outlets in all applicable locations
4. GFCI block heater and convenience outlet at engine compartment

### **9.9. Miscellaneous control switches include:**

1. Salon slideout control: **XLVII - In co-pilot console countertop**
2. Bedroom slideout control: **In curbside water closet wall**
3. Extra auxiliary control switches for after-market installed options  
*See page 21 for modifications to Electrical/Power Management*

Customer signature:

Date:

**Modifications to Electrical/Power Management:**

1. See section 4. Ceiling/Window/Wall Specifications for window box lighting details.

2. See section 6. Furniture/Upholstery for lighted headboard details.

3. See section 13. Communication/Information Systems for Aiphone intercom pre-wire details.

4. Outlet cores to be ivory. Paint covers to match cabinet laminate.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

**10. CLIMATE CONTROL/VENTILATION**

**10.1.** Marathon "Climate Control" system for *automatic* cool/heat operation that includes:

- 1. Control of air conditioning, 12 volt heat and 110 volt heat
- 2. SMX infra-red remote control pads (includes remote control through Crestron remotes)
- 3. Remote controlled breakers at dash for A/C units

**10.2.** Air conditioning system as follows:

- 1. A/C quantity & brand: **Four Coleman roof air units**
- 2. Capacity & type: **13,500 BTU A/C-Heat pump system**
- 3. Ducting details: **Hidden vent ceiling ducted exhaust (standard on roof air)**
- 4. Installation details: **Exterior housings painted to match coach**
- 5. Bathroom discharge vent
- 6. "Quiet cool" salon and bedroom controls

**10.3.** Heating system as follows:

- 1. Diesel fired 40,000 BTU Webasto furnace (hydronic) system that includes:
  - 1. Multiple heat exchangers: **Cockpit, galley and bedroom**
  - 2. Water heater heat source
  - 3. Additional bedside switches to control 12 volt heat and 12 volt water heaters
- 2. Toekick style 110 volt heaters (climate controlled heaters) as follows:
  - 1. Heater locations: **Cockpit, galley and bedroom**
- 3. Independent 110 volt heaters include:
  - 1. Bathroom heater with local thermostat and ON/OFF convenience switch
  - 2. Plumbing bay heater with remote thermostat

**10.4.** Ventilation system includes:

- 1. "Fantastic" exhaust fan installed in bathroom which includes:
  - 1. Tinted exterior fan cover with rain sensor
  - 2. Remote thermostat with ON/OFF switch
  - 3. Solid surface ceiling grill (in the shower ceiling)
- 2. Wall mounted exhaust vent fan in all water closets which includes:
  - 1. Custom mirror fan cover

***See page 23 for modifications to Climate Control/Ventilation***

Customer signature:

Date:

**Modifications to Climate Control/Ventilation:**

1. None

\_\_\_\_\_ 2.

\_\_\_\_\_ 3.

\_\_\_\_\_ 4.

\_\_\_\_\_ 5.

\_\_\_\_\_ 6.

\_\_\_\_\_ 7.

\_\_\_\_\_ 8.

\_\_\_\_\_ 9.

\_\_\_\_\_ 10.

\_\_\_\_\_

Customer signature:

Date:

**11. INTERIOR LIGHTING**

**11.1.** Flush 12 volt spot lighting as follows:

- 1. "Soft start" *step on* and *fade off* lighting control
- 2. Master light switch at entrance and bedroom that controls all 12 volt lights
- 3. Set of interior light controls installed at instrument dash
- 4. Multi-position dimming control from lighted switches - includes Crestron control of ceiling light
- 5. Lower temperature "Xelogen" light bulbs
- 6. Spot light trim rings: **Custom - see Modifications**
- 7. Multiple locations as follows:
  - 1. Pilot and copilot cockpit lights
  - 2. Salon, galley, bathroom and bedroom ceiling lights
  - 3. Underside of galley and dinette upper cabinets
  - 4. Bathroom and bedroom vanity lights (*floor plan dependent*)
  - 5. Swivel spotlights at the head of the bed for reading

**11.2.** Micro-switched interior cabinet lighting includes:

- 1. Under all galley sinks
- 2. Under all vanity sinks
- 3. Inside all hanging wardrobe cabinets

**11.3.** 12 volt, "rope" accent lighting includes:

- 1. Countertop perimeters (*not applicable to some countertop designs*)
- 2. Entrance steps
- 3. Window sills
- 4. Bed top perimeter
- 5. Rear wardrobe steps (*XLVII2S walk-in wardrobes*)

**11.4.** Window treatment accent lighting as follows:

- 1. Salon valances: **Not applicable**
  - 1. Installation details: **Not applicable**
- 2. Salon post covers: **Not applicable**
  - 1. Installation details: **Not applicable**
- 3. Bedroom valances: **ITC #SFTLED 12-V (#117650) rope lights - Warm white**
  - 1. Installation details: **Lights installed on back of valance (view from outside)**
- 4. Bedroom post covers: **ITC #SFTLED 12-V (#117650) rope lights - Warm white**
  - 1. Installation details: **Custom - see Modifications**
- 5. Salon soffit lights: **ITC #SFTLED 12-V (#117650) rope lights - Warm white**
- 6. Bedroom soffit lights: **Not applicable**

**11.5.** Miscellaneous 12 volt lighting includes:

- 1. Pilot and copilot map lights with halogen bulbs and 7" flexible arms
- 2. Switched lighting in all walk-in wardrobes (*36" fluorescent light*)
- 3. **Fiber optic ceiling lighting - see "4. Ceiling/Window/Wall Treatments" (pg. 10) for locations**
  - 1. Illuminator type: **4 color, dual wheel illuminator**
  - 2. Illuminator location: **With the inverters in the underbelly**
- 4. LED accent lighting as follows:
  - 1. Curbside dash: **Blue (standard)**
  - 2. Entry door logo: **Blue (standard)**
  - 3. Door safety lighting: white LEDs that shine on ground to light entry
- 5. Lights in each bunk for bunk bed floor plans  
*See page 25 for modifications to Interior Lighting*

Customer signature:

Date:

**Modifications to Interior Lighting:**

1. See section 4. Ceiling/Window/Wall Specifications for window box lighting details.

\_\_\_\_\_

2. Paint ceiling spot light rings to match oil rubbed bronze. See hardware for finish.

\_\_\_\_\_

3. Custom window boxes accomodate window stile lighting visible from exterior in salon and bedroom (no half illuminated stiles). LED rope light visible from exterior on backside of bedroom c/s valances board on the d/s behind the upper cabinet (locate at same height as salon valance accent lighting). Reference coach 1175.

\_\_\_\_\_

4.

\_\_\_\_\_

5.

\_\_\_\_\_

6.

\_\_\_\_\_

7.

\_\_\_\_\_

8.

\_\_\_\_\_

9.

\_\_\_\_\_

10.

\_\_\_\_\_

Customer signature:

Date:

## 12. AUDIO/VIDEO SPECIFICATIONS

### 12.1. Coach-wide audio/high definition video system includes:

1. Crestron remote audio/video control system as follows:
  1. Salon touch screen remote control with countertop charging station
  2. Bedroom touch screen remote control with wall mounted docking/charging station
  3. Provides independent zone control of salon, bedroom and underbelly A/V systems
  4. Includes Crestron selected video at back-up and copilot monitors (disabled with engine run)
  5. Includes lighting controls for all ceiling lights
  6. Includes control of the cockpit, salon, galley, dinette and bedroom window blinds
  7. Includes climate control of heating and air conditioning system
  8. Includes custom "Theater" button for one touch control of lights, blinds & A/V equipment
2. One upgraded DVD player
3. KVH in-motion Digital Satellite System as follows:
  1. One HD DSS receiver and one HD DSS receiver with DVR
  2. Satellite dome painted to match exterior
  3. HDTV tri-sat auto switch - selects proper satellite automatically from channel selection
4. Color rear view camera-low light with pan/tilt and two side view cameras
5. Winegard omni-directional roof mounted fixed television antenna
6. Cable television shore receptacle provided with a 25 ft. coaxial television shore cable

### 12.2. Cockpit/Salon audio/high definition video system as follows:

1. Clarion *Pro Audio Series* AM/FM/CD with remote (*includes AM/FM roof antenna*)
2. Delphi "Skifi" XM satellite radio (plays through cockpit, bedroom & underbelly stereos)
3. Clarion Pro Audio Series CD changer with six disc magazine
4. Two Clarion *Pro Audio Series* speakers in the cockpit
5. Four Paradigm speakers installed in the salon ceiling
6. One Paradigm subwoofer **Custom - see Modifications**
7. Surround sound receiver including center channel speaker
8. One high definition 42" salon television as follows:
  1. Salon TV size/type: **42" LCD television**
  2. Salon TV sound: **Plays through salon stereo system (standard)**
  3. Salon TV installation: **Cabinet mounted in salon slideout**
  4. Salon TV features: **Swing out for storage access behind**

### 12.3. Bedroom audio/video system as follows:

1. Clarion Pro Audio Series AM/FM/CD deck with remote (*includes AM/FM roof antenna*)
2. Two Paradigm speakers installed in the bedroom ceiling
3. One bedroom high definition television as follows:
  1. Bedroom TV size/type: **32" LCD television (standard)**
  2. Bedroom TV sound: **Plays through bedroom stereo speakers (standard)**
  3. Bdrm TV installation: **Installed in bedroom curbside cabinet**
  4. Bedroom TV features: **Installed on electric "pop-up" lift assembly**

### 12.4. Underbelly entertainment center as follows:

1. Clarion Pro Audio Series AM/FM/CD deck with remote (*includes AM/FM roof antenna*)
2. Two shielded stereo speakers
3. One underbelly high definition television as follows:
  1. Underbelly size/type: **32" LCD television (standard)**
  2. Underbelly TV sound: **Plays through underbelly stereo speakers (standard)**
  3. Underbelly TV install.: **Installed in underbelly entertainment center (standard)**
  4. Underbelly TV features: **Entertainment center installed on electric swing out mechanism**

### 12.5. Floor plan specific audio/video systems as follows:

1. Additional salon HD TV: **Not applicable**
  1. Features include: **Not applicable**
2. Bunk beds (each bunk): **Not applicable**

*See page 27 for modifications to Audio/Video Specifications*

Customer signature:

Date:

**Modifications to Audio/Video Specifications:**

1. Subwoofer located in curbside occasional table (insufficient height under dinette base)

- \_\_\_\_\_ 2.
- \_\_\_\_\_ 3.
- \_\_\_\_\_ 4.
- \_\_\_\_\_ 5.
- \_\_\_\_\_ 6.
- \_\_\_\_\_ 7.
- \_\_\_\_\_ 8.
- \_\_\_\_\_ 9.
- \_\_\_\_\_ 10.
- \_\_\_\_\_

Customer signature:

Date:

**13. COMMUNICATION/INFORMATION SYSTEMS**

**13.1. Communication systems include:**

- 1. Citizens band radio system as follows:
  - 1. Cobra *handheld* 40-channel radio
  - 2. 15" high roof mounted antenna on H3-45, 24" high on XLII
- 2. Landline telephone system as follows:
  - 1. Exterior phone inlet
  - 2. Phone jacks at endtable behind pilot, dinette, nightstands & underbelly entertainment bay
- 3. Pre-wired cellular telephone cable and antenna lead
- 4. Door bell with lighted exterior switch

**13.2. Information systems include:**

- 1. Dash mounted 7" color flat screen monitor for displaying:
  - 1. Rear view camera
  - 2. Generator status
  - 3. Power supplies status
  - 4. Plumbing tank levels
  - 5. Temperatures - inside/outside/bay
  - 6. Contact phone numbers
- 2. Kenwood *voice prompted* , dual GPS mapping systems include:
  - 1. Two complete systems- one for pilot and one for copilot
  - 2. 6.95" touch screen pilot monitor installed at dash
  - 3. 6.95" touch screen copilot monitor installed on flexible arm
  - 4. Two roof mounted antennas
- 3. Pre-wired for personal computer hook-up:
  - 1. Separate phone jack and 110 volt power for stand-alone computer

**13.3. Warning systems include:**

- 1. Prevest burglar alarm including:
  - 1. Two remote key fobs
  - 2. Motorized deadbolt
  - 3. Keyless entry
- 2. TV "Antenna-Up" warning indicator light with ignition switched on
- 3. Inverter power loss indicator light with audible warning
- 4. Shore power On and shore power Loss indicators at the dash
- 5. Carbon monoxide (CO) detector installed in the galley area
- 6. Smoke detector installed in the galley

*See page 29 for modifications to Communication/Information Systems*

Customer signature:

Date:

Modifications to Communication/Information Systems

1. **Pre-wire at entrance for exterior Aiphone intercom unit and at bedroom driverside slideout wardrobe for interior Aiphone intercom unit (to be installed by Marathon Florida service center).**

\_\_\_\_\_ 2. **Install LCD monitor for Techlink system screens in bay 4 driverside plumbing panel.**

\_\_\_\_\_ 3.

\_\_\_\_\_ 4.

\_\_\_\_\_ 5.

\_\_\_\_\_ 6.

\_\_\_\_\_ 7.

\_\_\_\_\_ 8.

\_\_\_\_\_ 9.

\_\_\_\_\_ 10.

\_\_\_\_\_

Customer signature:

Date:

## **14. PLUMBING SPECIFICATIONS**

### **14.1. Underbelly plumbing specifications include:**

1. Seamless, non-corroding, polyethylene water and holding tank system as follows:
  1. Plumbing capacities: **XLVII: 154 gal. fresh, 78 gal. gray and 50 gal. black**
  2. Pre-connected sewer hose with powered extend and retract
  3. Electrically operated gray and black tank dump valves (*manual valve on fresh tank*)
  4. Gray and black tank flush system
  5. Automatic fresh water tank fill with remote switch and cockpit indicator
  6. Gravity fresh water tank fill spout
  7. Sewer hose dump adapter with waterproof storage bag
2. Two 10.5 gallon water heaters include:
  1. Two separate heat sources - 110 volt and 12 volt
  2. Plumbed in series
3. Commercial grade, 1/2" full-flow pressure regulator for city water inlet
4. Pre-filtered shore water inlet and secondary drinking and ice water filters
5. Two 12 volt high output water pumps with "enabled" indicators, switched in plumbing bay
6. Poly water lines with hot and cold chrome-plated copper manifolds
7. Hot and cold water at exterior plumbing bay with adjustable faucet
8. Pre-connected 50' fresh water hose on electric reel (manual extend, electric retract)
9. Additional 25' fresh water hose provided

### **14.2. Galley plumbing specifications include:**

1. Filtered drinking water and ice
2. Designer, solid surface galley sink(s) with sink covers (floor plan specific, see 14.5.1.)
3. Designer galley faucet with pull-out sprayer
4. Galley water dispenser (*floor plan dependent*):
  1. Dispenser type: **In-sink-erator hot and cold water dispenser (switched)**

### **14.3. Bathroom plumbing specifications include:**

1. Vitreous china toilet: **Thetford Tecma electric toilet**
2. Shower fixture includes:
  1. *Temperature controlled* thermostatic mixer valve
  2. Adjustable hand-held shower with glidebar
3. Shower enclosure/door as follows (*floor plan dependent*):
  1. Enclosure/door type: **Single flat glass shower door**
  2. Enclosure/door finish: **Oil rubbed bronze**
4. Shower tray as follows (*floor plan dependent*):
  1. Shower tray style: **Custom - see Modifications**
  2. Shower floor material: **Custom - see Modifications**
5. Shower walls as follows:
  1. Upper shower walls: **Custom - see modifications**
  2. Lower shower walls: **Custom - see modifications**
6. Shower accent band: **Custom - see modifications**
7. Shower caddy: **Powder coated recessed caddy**
8. Shower seat: **Chase cap acts as foot ledge (no seat)**
9. Shower ceiling: **Coffered solid surface with coved perimeter & LED lighting**

### **14.4. Floor plan specific plumbing specifications as follows:**

1. Galley sink(s): **Color-matched single bowl solid surface sink**
2. Bathroom vanity sink: **Not applicable**
3. Bathroom vanity faucet: **Not applicable**
4. Water closet sink: **Custom - see Modifications**
5. Water closet faucet: **Designer, accent-matched faucet**
6. Bedroom vanity sink: **Custom - see Modifications**
7. Bedroom vanity faucet: **Designer, accent-matched faucet**

*See page 31 for modifications to Plumbing Specifications*

Customer signature:

Date:

**Modifications to Plumbing Specifications:**

1. See section 13. Communication/Information Systems for LCD Techlink bay monitor details.

2. Provide water line at rear of galley for built-in coffee maker.

3. 4x4" marble tile shower floor installed at 45 degrees; glass tile accent at perimeter - see Gail's project book for drawing

4. ALL Shower walls are 8x8" marble tile with decorative tile mosaic. Chase & cap is 8x8" marble at 90 degrees. See Gail's project book for shower and backsplash drawings.

5. Shower caddy to be oil rubbed bronze. Reference coach #1175.

6. Custom glass undermount vanity sinks in the water closet and bathroom.

7. See SECTION 3, SOLID SURFACE/COUNTERTOPS for details on bedrom, WC and galley backsplashes.

8.

9.

10.

Customer signature:

Date:

**15. APPLIANCE SPECIFICATIONS**

**15.1.** Gaggenau electric cook top including:

- 1. Dual element glass top
- 2. Recessed in countertop
- 3. Solid surface flush cover

**15.2.** "Over the cooktop" microwave oven as follows:

- 1. Microwave brand: **GE "Advantium" Speedcook oven**
- 2. Recirculating exhaust fan with charcoal filter
- 3. Over-the-cooktop light
- 4. Microwave installation: **Integrated into galley upper cabinet**

**15.3.** Residential full size refrigerator/freezer as follows:

- 1. Refrigerator brand: **Subzero - top refrigerator/bottom freezer drawer**
- 2. Refrigerator door panels: **Bronze sheet mirror (door hinged on left)**
- 3. Automatic travel latch (engages with ignition on)
- 4. Additional features: **Internal ice maker**

**15.4.** Fisher-Paykel "DishDrawer" dishwasher including:

- 1. Installed in galley lower with flush drawer front for concealed installation
- 2. Travel latch
- 3. Designer switch panel: **Custom - see Modifications**

**15.5.** Clothes Washer/dryer as follows (*floor plan dependent*):

- 1. Washer/dryer brand: **Asko stacked washer/dryer**
- 2. Washer/dryer installation: **Cabinet installed with exterior ducted dryer exhaust (standard)**

**15.6.** Eureka portable electric canister vacuum

*See page 33 for modifications to Appliance Specifications*

Customer signature:

Date:

**Modifications to Appliance Specifications:**

1. Install built-in coffee maker on the galley countertop to the rear under the microwave.  
Plumb to coach water system.

2. Paint dishwasher switch cover to match oil rubbed bronze cabinetry hardware.

3. Refrigerator pulls for subzero: Colonial Bronze 205 Series, length 10", finish M-20A

4.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

**16. ACCESSORIES/MISCELLANEOUS**

**16.1. Cockpit accessories/features include:**

- 1. Entry storage step with flip-up stair tread
- 2. Treadliners for entrance steps - see "5. Floor Coverings" (pg. 12) for details
- 3. Pilot and copilot drink holders
- 4. Stairwell cover with full air slide, includes an additional switch at entrance
- 5. Entrance grab handles with custom finishes as follows:
  - 1. Entrance door handle: **Chocolate Burl Base/ 9 Oz. 040 With 20 Oz Black Film/A-007**
  - 2. Lower dash handle: **Chocolate Burl Base/ 9 Oz. 040 With 20 Oz Black Film/A-007**
  - 3. H3 upper step handle: **Not applicable**
  - 4. Exit handle: **Chocolate Burl Base/ 9 Oz. 040 With 20 Oz Black Film/A-007**
- 6. Custom dash features including:
  - 1. Contoured instrument dash surround wrapped in leather
  - 2. Dash light dimmer control switch
  - 3. Custom defroster vents: **Paint to match cockpit leather**
  - 4. High gloss dash panels: **Chocolate Burl Base/ 9 Oz. 040 With 20 Oz Black Film/A-007**
  - 5. Dash panel matching curbside dash accent strip
  - 6. LED accent lighting - see "11. Interior Lighting" (pg. 24) for details
- 7. Upgraded steering wheel includes:
  - 1. Hand grip finish: **Chocolate Burl Base/ 9 Oz. 040 With 20 Oz Black Film/A-007**
  - 2. Cruise controls
  - 3. Engine brake/retarder controls (*transmission retarder is custom order only*)
  - 4. Pilot and copilot windshield window blind buttons
- 8. Custom entry door treatment includes:
  - 1. Sculptured, leather and stainless steel door covering
  - 2. Dash panel matching accent strip
  - 3. LED accent lighting - see "11. Interior Lighting" (pg. 24) for details
- 9. Leather wrapped pilot storage pouch on driver console (*XLVII only*)
- 10. Fire extinguisher

**16.2. Salon accessories include:**

- 1. Throw pillows for each sofa

**16.3. Galley accessories include:**

- 1. Trash container in the galley lower cabinet
- 2. Sink and stovetop cover holder in the galley lower cabinet
- 3. Marathon display cabinets include the following treatments:
  - 1. Curbside display(s): **Display shelving only (no glasses)**
  - 2. Driverside display(s): **Display shelving only (no glasses)**

**16.4. Bathroom accessories include:**

- 1. Damp towel ring located the shower
- 2. Accent matched towel bar(s) in the bathroom
- 3. Toilet tissue holder

**16.5. Bedroom accessories include:**

- 1. Bedspread/comforter with shams
- 2. Three bed throw pillows
- 3. One set of color coordinated, custom fit bed sheets
- 4. One custom fit mattress pad
- 5. Keyed, fire resistant safe: **Concealed in rear bedroom wardrobe**

**16.6. Miscellaneous "Owners" features:**

- 1. Complete owner's manual for coach operation
- 2. Individual walk through with delivery
- 3. List of nationwide service outlets
- 4. 24 hour, toll free, 800 number for service information
- 5. Full alphabetical warranty and information file for all equipment utilized

*See page 35 for modifications to Accessories/Miscellaneous*

Customer signature:

Date:

**Modifications to Accessories/Miscellaneous:**

1. Include down comforter and duvet cover for the bed

\_\_\_\_\_ 2. Install skirt around the bed pedestal

\_\_\_\_\_ 3. Provide interior accessory package

\_\_\_\_\_ 4.

\_\_\_\_\_ 5.

\_\_\_\_\_ 6.

\_\_\_\_\_ 7.

\_\_\_\_\_ 8.

\_\_\_\_\_ 9.

\_\_\_\_\_ 10.

\_\_\_\_\_

Customer signature:

Date:

**THIS PAGE LEFT BLANK ON PURPOSE**

Customer signature:

Date: