

MODEL YEAR 2010



CONVERSION SPECIFICATIONS

Marathon Designer Choice

Coach: #1187 H34S

Vehicle Identification #: 81352
Registered State: Oregon
Sales Representative: Steve Schoellhorn
Project Engineer: Jay Graham
Interior Designer: Jennifer Clausen
Electrical Engineer: John Randleman
Mechanical Engineer: Jay Graham

TABLE OF CONTENTS

| | |
|--|----------|
| CUSTOMER LETTER OF AGREEMENT | Page 2 |
| SPECIAL NOTES | Page 3 |
| 1. CHASSIS/FLOOR PLAN SPECIFICATIONS | Page 4 |
| 2. CABINetry/FINISH SPECIFICATIONS | Page 6 |
| 3. SOLID SURFACING/COUNTERTOPS | Page 8 |
| 4. CEILING/WINDOW/WALL TREATMENTS | Page 10 |
| 5. FLOOR COVERINGS | Page 12 |
| 6. FURNITURE/UPHOLSTERY | Page 14 |
| 7. EXTERIOR SPECIFICATIONS | Page 16 |
| 8. UNDERBELLY/MECHANICAL SPECIFICATIONS | Page 18 |
| 9. ELECTRICAL/POWER MANAGEMENT | Page 20 |
| 10. CLIMATE CONTROL/VENTILATION | Page 22 |
| 11. INTERIOR LIGHTING | Page 24 |
| 12. AUDIO/VIDEO SPECIFICATIONS | Page 26 |
| 13. COMMUNICATION/INFORMATION SYSTEMS | Page 28 |
| 14. PLUMBING SPECIFICATIONS | Page 30 |
| 15. APPLIANCE SPECIFICATIONS | Page 32 |
| 16. ACCESSORIES/MISCELLANEOUS | Page 34 |
| 17. CEILING/WINDOW/WALL COMPONENTS CHART | Page 1C |
| 18. FLOORING COMPONENTS CHART | Page 3C |
| 19. FURNITURE/UPHOLSTERY COMPONENTS CHART | Page 5C |
| 20. PLUMBING COMPONENTS CHART | Page 7C |
| 21. ACCESSORIES/MISC. COMPONENTS CHART | Page 9C |
| 22. FABRIC/MATERIAL CHART | Page 11C |
| 23. NON-STOCK ITEM REQUISITION FORM | Page 13C |

Model year specifications may change without notice and pertain only to Prevost chassis' starting with serial #1149XL/1152H3
Modification sections take precedent over the standard spec listings

Customer signature:

Date:

CUSTOM ORDER LETTER OF AGREEMENT

- 1.** As of the date of this signing, all selections are final. Changes, additions or deletions at the request of the client may result in additional expense to the client and/or a revision of the date of delivery.

- 2.** Assignment of the exact production slot for a custom coach will only occur after the coach specifications are finalized. If there are significant open issues or unanswered questions after the customer spec meeting, it will most likely require a later production slot to be utilized.

- 3.** Changes, additions or deletions will generally not be possible once the coach enters production. Changes after that point are typically processed through the Marathon Service Center on a quoted or time and material basis.

- 4.** Due to innovations and improvements within the motorcoach industry, Marathon Coach reserves the right to substitute equal or better quality equipment or materials as warranted.

- 5.** Marathon Coach works to a very aggressive production schedule. While every effort will be made to meet the "goal" delivery date, generally the actual delivery date will be 2-4 weeks after the goal date. Allowing the necessary time at the end of production for "Quality Assurance" testing is critical to the overall quality and reliability of each coach. Around 60 days from coach completion, your sales person will communicate the projected final delivery date for your coach.

Customer signature:

Date:

SPECIAL NOTES:

1. None

Customer signature:

Date:

1. CHASSIS/FLOOR PLAN SPECIFICATIONS

1.1. All Marathon Prevost conversions include:

1. Engine and power train features as follows:
 1. Detroit diesel series 60 515 Hp engine (455 Hp on 40 foot coaches)
 2. Allison World 6-speed transmission
 3. Engine block heater and hot water booster pump
 4. Racor fuel filter separator
 5. Three 24 volt/140 amp alternators - one for chassis and two for house batteries
 6. Jacob's engine brake (*transmission retarder available on custom order*)
 7. Roof engine exhaust with low emission diesel particle filter system & exhaust extension
2. Comfort and driving features as follows:
 1. Custom pilot seat with air suspension
 2. DDEC VI pro driver electronic controls
 3. Variable assistance steering system
 4. Electric Ramco rear view mirrors
 5. Convex top rear view mirror extensions
 6. Level low air leveling system
 7. Thermopane windows
 8. Round fog lamps
 9. Xenon low beam headlights
 10. Beru tire pressure monitoring system with LCD dash display
3. Exterior and utility features as follows:
 1. Six Alcoa polished aluminum wheels (steel wheels on the inside duals)
 2. Back-up alarm
 3. Courtesy underbelly light group
 4. S.A.E class 4 hitch - 20,000 lb. maximum towing capacity & 1,500 lb. tongue weight
 5. Spare parts kit

1.2. Prevost chassis selections include:

1. Chassis Type: **Prevost 45 foot VIP H3-45**
2. Conversion Type: **Quadruple Slideout**
3. Chassis Heat-A/C system: **Drivers heat and air conditioning**
4. Interior coach height: **83" (unfinished-standard H3-45)**

1.3. Prevost window configurations:

1. Fwd. curbside windows: **Custom - see Modifications**
 1. Slideout end windows: **Two total - Fixed windows in each end of slideout room**
2. Fwd. driverside windows: **Slideout configuration - see 1.3.2.1 & 1.3.2.2 below**
 1. Slideout end windows: **Two total - Fixed windows in each end of slideout room**
3. Rear curbside windows: **One total - Awning window (H3-45)**
 1. Slideout end windows: **Sheet metal panels - no windows**
4. Rear driverside windows **Slideout - one awning window (centered on bed)**
 1. Slideout end windows: **Sheet metal panels - no windows**

1.4. Slideouts - Room details as follows:

1. Slideout vendor: **Valid Manufacturing**
2. Salon curbside slideout: **H3-45 - 12' 7 1/2" long room (flush floor)**
3. Salon driverside slideout: **H3-45 - 14' 6" long room (raised floor)**
3. Bedrm curbside slideout: **H3-45 - 10' 5" long room**
4. Bedrm driverside slideout: **H3-45 - 10' 5" long room**

1.5. Base floor plan: **Quail Valley (V4-Q)**

See page 5 for modifications to Chassis/Floor Plan Specifications

Customer signature:

Date:

Modifications to Chassis Specifications:

1. Curbside salon slideout / 3 total windows, awning window in the center position, but not centered in the slide out.

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

2. CABINERY/FINISH SPECIFICATIONS

- 2.1. Cabinet finish: **Custom dual laminate finish - see Modifications**
- 2.2. Laminate finish: **Polished**
- 2.3. Accent finish: **Polished Chrome**
- 2.4. General cabinetry as follows:
1. Laminated, fabric lined cabinets with radius bends (on vertical corners) throughout interior
 2. Bronze mirror on all applicable wardrobe doors
 3. Color matched, custom built louvers, moldings, trim and drawer boxes (with liners)
 4. Cabinet pulls: **Pro Décor / 074 147**
 1. Cabinet pull style: **Surface mount pulls**
 2. Cabinet pull finish: **Gloss Chrome**
 5. Drawer box finish: **Walnut dovetail drawers**
- 2.5. Cockpit cabinetry as follows:
1. Front overhead cabinetry: **42" Flip-down TV configuration**
 2. Pilot and copilot consoles with solid surface countertop and large drink holder
- 2.6. Salon cabinetry as follows:
1. Endtable behind pilot seat with solid surface countertop
 2. Floor plan specific salon cabinetry as follows:
 1. Occasional table: **Includes countertop and shelf storage**
 2. TV cabinet: **See 12.5.1. for details of an additional salon TV**
 3. Driverside wainscot: **Includes tip-out bins with fabric inserts (standard on slideouts)**
 4. Curbside wainscot: **Includes tip-out bin(s) with fabric insert(s)**
- 2.7. Galley/Dinette cabinetry as follows:
1. Galley lower cabinet with fixed shelves and/or pull-out shelves and drawers
 2. Galley upper cabinet with deep shelving
 3. Floor plan specific galley/dinette cabinetry as follows:
 1. Appliance storage: **Not applicable**
 2. Galley display cab: **Not applicable**
 3. Dinette seating: **Angled L-shaped booth with pedestal storage**
 4. Dinette upper: **Upper cabinet with lighted display cabinet on forward end**
 5. Dinette display cab: **Picture recesses in side of pantry cabinet**
- 2.8. Bathroom cabinetry as follows:
1. Bathroom vanity includes under sink storage
 2. Bathroom medicine cabinet includes storage and clear mirror doors
 3. Floor plan specific bathroom cabinetry:
 1. Water closet vanity: **Includes under sink storage**
 2. Water closet med cab: **Includes storage and clear mirror doors**
 3. Bathroom wardrobe: **Double short hang**
 4. Bunk beds (two total): **Not applicable**
- 2.9. Bedroom cabinetry as follows:
1. Bed pedestal **All slideouts - Heaters under bed for H3-45, drawer for XLII**
 2. Nightstands with solid surface countertops
 3. Floor plan specific bedroom cabinetry:
 1. Wainscot storage cab: **Triple/quadruple slideout - not applicable**
 2. Make-up area: **Not applicable**
 3. Rear wardrobe: **Walk-in closet with full hang and air pocket door(s)**
 4. Rear drawer bank: **Installed in walk-in closet (includes A/V equipment)**
 5. Bedroom upper: **Side to side above head of bed**
- 2.10. Pocket doors with full length bronze mirrors installed as follows:
1. Galley/Bathroom door: **Air powered door with mirror on bath side**
 2. Water closet door: **Air powered door with mirror on bath side**
 3. Bathroom/bdrm door(s): **Air powered door with mirror on bedroom side**
 4. Walk-in wardrobe door(s): **Dual air powered doors with mirror on outside**
- 2.11. *Underbelly Cabinetry - See "8. Underbelly/Mechanical Specifications"*

Customer signature:

Date:

See page 7 for modifications to Cabinetry/Finish Specifications

Customer signature:

Date:

Modifications to Cabinetry/Finish Specifications:

1. All upper cabinets, lower cabinets & wainswalls constructed only of:
Wilsonart / 7932-1 / Sanara (see Jennifer for material layout locations)

2. All full floor to ceiling walls and ceiling to countertop walls constructed only of:
Wilsonart / 4861-1 / Gold Alchemy (see Jennifer for material layout locations)

- 3.

- 4.

- 5.

- 6.

- 7.

- 8.

- 9.

- 10.

Customer signature:

Date:

3. SOLID SURFACING/COUNTERTOPS

3.1. Solid surface countertop material(s) and design(s) as follows:

- 1. Countertop material: **Hudson - Mystera / HS-534 / Gold Dust**
- 2. Build-down: **Same as countertop material**
- 3. Contrast/Accent: **Not applicable**
- 4. Countertop finish: **Polished finish**
- 5. Edge detail: **Bayside 104**
- 6. Optional details: **Polished edge**
- 7. Optional details: **Not applicable**
- 8. Recessed accent trim: **Match cabinet laminate "Sanara"**

3.2. All conversions include the following matching solid surface countertops:

- 1. Pilot console countertop that includes:
 - 1. Large drink holder insert
 - 2. Travel recess (LeMirage only)
- 2. Copilot console with large drink holder insert
- 3. Forward driverside endtable
- 4. Salon/dinette window sills
- 5. Galley countertop:
 - 1. Includes "Reservoir Splash" edge treatment
 - 2. *See "14. Plumbing Specifications" (pg. 30) for sink details*
 - 3. *See "15. Appliance Specifications" (pg. 32) for cooktop details*
- 6. Dinette table as follows:
 - 1. Dinette table style: **Solid surface table with perimeter accent lighting**
 - 2. Installation detail: **Installed with electric table slide and manual swivel**
 - 3. Dinette table leg type: **4" diameter, floor mounted pedestal**
 - 4. Dinette table leg finish: **Polished chrome finish**
- 7. Bathroom vanity - see "14. Plumbing Specifications" (pg. 30) for sink details
- 8. Water closet vanity - see "14. Plumbing Specifications" (pg. 30) for sink details (flp dependent)
- 9. Bedroom vanity - see "14. Plumbing Specifications" (pg. 30) for sink details (flp dependent)
- 10. Two nightstand countertops - includes solid surface cord management grommet (flp dependent)
- 11. Bedroom window sills

3.3. Designer backsplashes behind vanity sinks:

- 1. Bathroom backsplash: **Custom - see Modifications**
- 2. Water closet backsplash: **Custom - see Modifications**
- 3. Bedroom backsplash: **Not applicable**

3.4. Solid surface shower stall - see "14. Plumbing Specifications" (pg. 30) for shower stall details *See page 9 for modifications to Solid Surfacing/Countertops*

Customer signature:

Date:

Modifications to Solid Surfacing/Countertops:

1. Solid surface and glass tile vanity backsplashes (with mirror above) - see Jennifer for design

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

4. CEILING/WINDOW/WALL SPECIFICATIONS

4.1. Ceiling treatments include padded ultrasuede covered ceilings as follows:

1. Salon/Galley ceiling as follows:

- 1. Salon/galley style: **Sculpted, overlaid, wrapped ceiling panels**
- 2. Salon/galley pattern: **Diamond pattern**
- 3. Accent Lighting: **Fiber optic lighting**

2. Bathroom ceiling as follows:

- 1. Bathroom style: **Sculpted, overlaid, wrapped ceiling panels**
- 2. Bathroom pattern: **Diamond pattern**
- 3. Accent Lighting: **Fiber optic lighting**

3. Bedroom ceiling as follows:

- 1. Bedroom style: **Sculpted, overlaid, wrapped ceiling panels**
- 2. Bedroom pattern: **Diamond pattern**
- 3. Accent Lighting: **Fiber optic lighting**

4. Slideout cap styles as follows:

- 1. Salon cap(s) style: **Standard**
- 2. Bedroom cap(s) style: **Standard**

5. See "10. Climate Control/Ventilation (pg. 22) for bedroom ceiling fan details

4.2. Designer window treatments throughout as follows:

1. Cockpit window shades: **Motorized pleated shades**

2. Salon/Dinette windows as follows:

- 1. Salon/dinette stiles: **Straight stiles with fabric edges and bronze mirror inserts**
- 2. Salon/dinette valances: **Style #4 w/ accent lighting**
- 3. Salon/dinette shades: **Motorized pleated shades with blackout**
- 4. Slideout ends shades: **Motorized pleated shades with blackout**
- 5. Lighting options: **See "11. Interior Lighting" (pg. 24) for details**

3. Galley windows as follows:

- 1. Galley stiles: **Solid surface window stiles**
- 2. Galley shades: **Motorized pleated shades with blackout**

4. Bedroom windows as follows:

- 1. Bedroom stiles: **No stiles - blind guides incorporated into cabinetry**
- 2. Bedroom valances: **Valance incorporated into roman shade**
- 3. Bedroom shades: **Motorized roman shades (blackout)**
- 4. Slideout ends shades: **Not applicable**
- 5. Lighting options: **See "11. Interior Lighting" (pg. 24) for details**

4.3. Designer wall treatments throughout as follows:

1. Salon wainscot: **Not applicable due to wainscot cabinetry**

2. Bathroom walls: **Cabinet laminate on all applicable walls**

1. W/C upper wall: **Designer wallcovering**

2. W/C wainscot wall: **Flooring material - see item 5.8.3 in section 5 "Floor Coverings"**

3. Bathroom wardrobe: **White Cap vinyl (#115889)**

4. Bedroom wainscot: **Cabinet laminate on driverside (wainscot cabinetry on C/S)**

5. Bedroom walls: **Cabinet laminate on all applicable walls**

6. Rear bedroom wardrobe: **White Cap vinyl (#115889)**

- 1. Custom wardrobe matching shoe bags/access panel (chassis specific)

See page 11 for modifications to Ceiling/Window/Wall Treatments

Customer signature:

Date:

Modifications to Ceiling/Window/Wall Treatments:

1. Custom fully upholstered headboard

2. **SEE SECTION: 11. INTERIOR LIGHTING** - for details on the bedroom sconce lights

3.

4.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

5. FLOOR COVERINGS

5.1. Entrance flooring treatments as follows:

- 1. Entry steps: **Granite - tiles**
- 2. Entry risers: **Polished stainless steel (standard)**
- 3. Entry sidewalls: **Polished stainless steel (standard)**
- 4. Entry landing: **Granite - tiles**
- 5. Pilot floor area: **Granite - tiles**
- 6. Copilot floor area: **Granite - tiles**
- 7. Stairwell cover: **Carpet**
- 8. Treadliners as follows:
 - 1. Individual mats with non-slip backing for steps, landing and under pilot's feet
 - 2. Color: **Custom - see Modifications**

5.2. Salon flooring as follows:

- 1. Flooring material: **Plush carpet with foam pad**
- 2. Design/layout: **Single color carpet**

5.3. Dinette flooring as follows: Same as salon

5.4. Galley flooring as follows:

- 1. Base material: **Granite (lightweight)**
- 2. Base size: **12" x 12" tiles**
- 3. Accent material: **Granite (lightweight) - same material as base**
- 4. Accent material size: **4" keys**
- 5. Pattern: **Pattern #6 (base @ 45° w/ keys every other corner)**
- 6. Base layout: **Base at 45 deg.**
- 7. Accent layout: **Keys at every other corner**
- 8. Grout material: **Color matched grout and caulking**

5.5. Bathroom flooring as follows:

- 1. Base material: **Granite (lightweight)**
- 2. Base size: **12" x 12" tiles**
- 3. Accent material: **Granite (lightweight) - same material as base**
- 4. Accent material size: **4" keys**
- 5. Pattern: **Pattern #6 (base @ 45° w/ keys every other corner)**
- 6. Base layout: **Base at 45 deg.**
- 7. Accent layout: **Keys at every other corner**
- 8. Grout material: **Color matched grout and caulking**

5.6. Water closet flooring: Matches galley/bathroom flooring

5.7. Bedroom flooring as follows:

- 1. Flooring material: **Matches salon flooring**
- 2. Design/layout: **Single color carpet**

5.8. Miscellaneous flooring treatments as follows:

- 1. Bathroom-W/C side chase: **Matches galley/bathroom flooring material**
- 2. Bathrm-W/C side chase cap: **Matches galley/bathroom flooring base material**
- 3. Bathroom-W/C wainscot: **Matches water closet floor material**
- 4. Walk-in wardrobe floor(s):
 - 1. Bathroom wardrobe: **Matches bedroom flooring material**
 - 2. Bedroom wardrobe: **Matches bedroom flooring material**

5.9. Miscellaneous flooring features include:

- 1. Protective clear vinyl floor runner installed from cockpit to bedroom
- 2. Replacement flooring materials provided with each coach

See page 13 for modifications to Floor Coverings

Customer signature:

Date:

Modifications to Floor Coverings:

1. Bound edge "Cocos Plain Black" treadliners in lieu of standard colors
2. **SEE SECTION: 3. SOLID SURFACING/COUNTERTOPS** for backsplash details
3. **SEE SECTION: 14. PLUMBING SPECIFICATIONS** for shower materials and details

4.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

6. FURNITURE/UPHOLSTERY

6.1. Isri leather pilot seat includes:

1. Air suspension
2. Adjustable arm rests with height extensions
3. Seat belt extensions
4. Pull-out seat extension
5. Variable massage unit with remote control

6.2. 28" wide leather copilot seat includes:

1. 6-way power control
2. Map and magazine storage on back
3. Recliner with leg rest and flip-down foot rest
4. Electric headrest and lumbar support
5. Variable massage unit with remote control
6. Swivel for use as salon seating (n/a on H3-45)

6.3. Curbside salon furniture as follows:

1. C/S furniture type: **One Lafer recliner**
2. C/S furniture covering: **All leather (optional)**
3. C/S upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
4. C/S standard features: **Recliner(s) includes travel strap**
5. C/S optional features: **Not applicable**
6. C/S optional features: **Not applicable**

6.4. Driverside salon furniture as follows:

1. D/S furniture type: **78" straight sleeper sofa**
2. D/S furniture covering: **All fabric (standard)**
3. D/S upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
4. D/S standard features: **Full width sofa storage box and seat belts (slideout sofas)**
5. D/S optional features: **One round ottoman with storage**
6. D/S optional features: **Not applicable**

6.5. Dinette seating as follows:

1. Dinette seating type: **Angled L-shaped booth**
2. Dinette seating covering: **Leather seat and fabric back (optional)**
3. Dinette upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
4. Dinette seating features: **Cabinet matching pedestal with drawer(s)**

6.6. Bed selections as follows:

1. Bed style: **Cross bed (driverside)**
2. Bed size: **Jr. King - 66" wide x 77" long (standard)**
3. Bed shape: **Straight sides with 12" bottom radius corners**
4. Bed mattress: **Premium foam (standard)**

6.7. Bedroom make-up vanity as follows:

1. Make-up stool type: **Not applicable**
2. Make-up stool covering: **Not applicable**
3. Make-up stool features: **Not applicable**

See page 15 for modifications to Furniture/Upholstery

Customer signature:

Date:

Modifications to Furniture/Upholstery:

1. Pilot seat to have a contrasting accent welt

2. "Victoria" Lafer recliner chair (no paint or reupholstery necessary)

3. One upholstered round storage ottoman

- Upholstery tack detail

- Wooden bun feet (no finishing necessary)

4. Custom fully upholstered headboard

5. Upholstered C/S bedroom bench

6.

7.

8.

9.

10.

Customer signature:

Date:

7. EXTERIOR SPECIFICATIONS

7.1. Exterior paint process includes:

1. Custom exterior paint design by in-house Marathon Exterior Paint Department
2. Premium quality paint used throughout
3. Multiple clearcoat process for lasting protection and final finish
4. Heated curing process for ultimate durability
5. Extensive final waxing process for superior shine and finish
6. Clear "Invinca Shield" protective film installed on the front and the fenders of all coaches

7.2. Full Girard awning packages as follows:

1. Two curbside patio awnings with wind sensors
2. Two driverside window awnings with wind sensors
3. Crestron wireless remote control and fixed awning switches in the cockpit (*New for 2008*)
4. Four awning matching chrome Zip Dee chairs with embroidered Marathon logos
5. Manual awning crank handle provided
6. Awning package color: **4672 Heather Beige**

7.3. Exterior enhancement packages as follows:

1. Fiberglass "Hot Rod" packages as follows:
 1. Front fenders: **H3-45 style #3 (standard on H3-45)**
 2. Rear fenders: **H3-45 style #3 (standard on H3-45)**
 3. Taillight housings: **H3-45 "Corvette" taillight housing (standard on H3)**
 4. Front roof cap: **Standard H3-45 - see 7.3.2.4. for stainless steel grill**
 5. Rear roof cap: **Standard H3-45 rear spoiler**
 6. License plate frame(s): **See license plate housing on item 7.3.2.9**
 7. Headlight bezels: **Not applicable**
2. Polished stainless steel accessories as follows:
 1. Exterior side panels: **Not applicable to H3-45**
 2. Rub rails: **2 5/8" wide H3-45 rub rails**
 3. Hub caps: **Stainless steel "Full-cover" hubcap style**
 4. Front grill(s): **H3-45 front awning cap grill & SS Marathon logo insert (Std)**
 5. Bumper trim: **H3-45 expanded metal grill insert (standard)**
 6. Taillight housing inserts: **H3-45 carbon fiber taillight inserts (standard on H3-45)**
 7. Engine door accents: **H3-45 stainless steel bars on door ribs**
 8. Marker light frames: **Stainless steel, standard**
 9. License plate housing: **Stainless steel (one on H3-45, two on LeMirage)**
 10. Gen. exhaust tip: **Stainless steel, standard**
 11. Webasto exhaust tip: **Stainless steel, standard**

7.4. Miscellaneous exterior equipment includes:

1. Entrance door external porch light with "ON" indicator (activates with patio lights)
2. Individual mud flaps behind front wheels
3. Individual drive axle mud flaps with polished stainless steel trim (*LeMirage only*)
4. Rear fender skirt storage on LeMirage coaches
5. European/American tow car package - 6 and 7 pin receptacles
6. Two curbside patio lights switched at entrance & entertainment bay
7. Custom exterior LED lighting as follows:
 1. LeMirage front cap: **Not applicable**
 2. LED ground effects: **Not applicable**

7.5. Roof equipment includes:

1. Solar panel - see "9. Electrical/Power Management" (pg. 20) for details
2. Roof air conditioners - see "10. Climate Control/Ventilation" (pg. 22) for details
3. Audio/Video antennas - see "12. Audio/Video Specifications" (pg. 26) for details
4. Cell phone/GPS/CB antennas - see "13. Communication/Info. Systems" (pg. 28) for details
5. Stainless steel roof exhaust heat shield installed on rear roof cap

See page 17 for modifications to Exterior Specifications

Customer signature:

Date:

Modifications to Exterior Specifications:

1. None

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

8. UNDERBELLY/MECHANICAL SPECIFICATIONS

8.1. Marathon auxiliary air system includes:

1. 110 volt air compressor installed in generator bay
2. Auxiliary air tank **H3-45 - 4 gallon tank behind front bumper**
3. 50 foot air hose on rack **H3-45 - Generator compartment**
4. Quick connect air fitting Located in pilot utility compartment
5. Air operated equipment includes:
 1. Stairwell cover
 2. Generator air bags
 3. Plumbing bay sewer hose/shore cord access door (includes air gauge)
 4. Pocket doors - see "2. Cabinetry/Finish Specifications" (pg. 6) for locations

8.2. Carpeted and insulated underbelly storage compartments as follows:

1. Electric bay door locks: Switched at entrance
2. Bay lights: Switched at entrance and entertainment center
3. Underbelly carpet color: **Black**
4. Underbelly cabinet color: **Match cabinet laminate "Sanara"**
5. Side to side storage bay(s): **Bays 1 and 2 on H3-45**

8.3. Underbelly cabinetry as follows:

1. Entertainment center: **Bay 4 curbside (H3-45-see "12. Audio/Video" for details)**
2. Zip Dee chair storage box(es) covered in underbelly carpet

8.4. Miscellaneous utility and underbelly equipment includes:

1. Four Zip Dee chairs **H3-45 Valid slideout - Four in box in bay 4 driverside**
2. 13' multi-position ladder **H3-45 Valid slideout - bay 1 driverside**
3. Marathon entry mat **H3-45 - Located on rear wall of bay 1 curbside**
4. Cargo netting **Not applicable**
5. Jack and lug wrench **Not applicable**
6. Two fire extinguishers **H3-45 - two, one on each side of bay 2**
7. Exterior paint touch-up kit
8. Paper towel dispenser (plumbing bay)
9. Liquid soap dispenser (plumbing bay)
10. Disposable glove dispenser (plumbing bay)
11. Air horns installed behind front bumper

8.5. *See "9. Electrical/Power Management" (pg. 20) for generator and battery details*

8.6. *See "10. Climate Control/Ventilation" (pg. 22) for heating and air conditioning details*

8.7. *See "14. Plumbing Specifications" (pg. 30) for plumbing bay details*

See page 19 for modifications to Underbelly/Mechanical Specifications

Customer signature:

Date:

Modifications to Underbelly/Mechanical Specifications:

1. **None**

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

9. ELECTRICAL/POWER MANAGEMENT

9.1. Techlink™ “intelligent” electrical control system includes:

1. Multiple module network system
2. Dash monitor to display coach systems status:
 1. See "13. Communication/Information Systems" (pg. 28) for display details
3. Integrated modem for remote diagnostic service capability
4. Custom switch group panels:
 1. Individually illuminated, status-indicating membrane switches
 2. Switches have re-label and re-program capability
 3. Switch group trim: **Black**

9.2. Shore power system includes:

1. Marathon T-50 "Smart Plug" shore power monitoring system
2. Automatic shore/generator power transfer switching
3. 50 amp power cord - includes electric winder and remote control
4. Single 30 amp and 15 amp shore power adapters

9.3. Kohler 20 kW turbo-charged generator includes:

1. Installed on rollout rack: **H3-3SF and H3-4S - Located in bay 3 driverside**
2. Pressure regulated air bag mounts
3. "Generator Start" switch located at dash
4. Extensive sound deadening of generator compartment
5. Exhaust system: **Exhausted to rear bumper (standard)**

9.4. House battery system includes:

1. Six 4D house batteries **H3-3SF and H3-4S - bay 3 curbside**
2. One isolated Group 24 generator battery
3. Roof mounted solar panel for trickle charge of the generator battery
4. Two 140 amp, 24 volt, engine-driven alternators for house battery charging
5. Auto-Gen" battery charging system - *generator starts automatically to charge house batteries*

9.5. Chassis battery system includes:

1. 140 amp, 24 volt, engine driven alternator for chassis battery charging
2. Internal jump start capabilities between house and chassis batteries
3. Dash mounted switch and indicator for battery jump start system
4. Battery charger installed in engine bay - *maintains chassis batteries during coach storage*

9.6. Two Trace 4000 inverterchargers include:

1. Inverter location: **H3-45 Valid slideout - bay 4 driverside**
2. Fan ducted exterior ventilation
3. Interior remote controls: **Located with DC breaker panel**
4. Two *emergency* inverter bypass switches

9.7. 12 volt power system includes:

1. DC breaker panel **Located in wall behind toilet**
2. Power outlets at instrument dash and behind pilot seat

9.8. 110 volt power system includes:

1. AC breaker panel **Located in wall behind toilet**
2. Decora style convenience outlets located throughout interior
 1. Outlet color: **Black**
3. GFCI breaker controlled outlets in all applicable locations
4. GFCI block heater and convenience outlet at engine compartment

9.9. Miscellaneous control switches include:

1. Salon slideout control: **H3-45 Valid - In endtable behind pilot seat**
2. Bedroom slideout control: **Bedroom medicine cabinet**
3. Extra auxiliary control switches for after-market installed options

See page 21 for modifications to Electrical/Power Management

Customer signature:

Date:

Modifications to Electrical/Power Management:

1. None

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

10. CLIMATE CONTROL/VENTILATION

10.1. Marathon "Climate Control" system for *automatic* cool/heat operation that includes:

- 1. Control of air conditioning, 12 volt heat and 110 volt heat
- 2. SMX infra-red remote control pads (includes remote control through Crestron remotes)
- 3. Remote controlled breakers at dash for A/C units

10.2. Air conditioning system as follows:

- 1. A/C quantity & brand: **Four Coleman roof air units**
- 2. Capacity & type: **13,500 BTU A/C-Heat pump system**
- 3. Ducting details: **Hidden vent ceiling ducted exhaust (standard on roof air)**
- 4. Installation details: **Exterior housings painted to match coach**
- 5. Bathroom discharge vent
- 6. "Quiet cool" salon and bedroom controls

10.3. Heating system as follows:

- 1. Diesel fired 40,000 BTU Webasto furnace (hydronic) system that includes:
 - 1. Multiple heat exchangers: **Cockpit, galley and bedroom**
 - 2. Water heater heat source
 - 3. Additional bedside switches to control 12 volt heat and 12 volt water heaters
- 2. Toekick style 110 volt heaters (climate controlled heaters) as follows:
 - 1. Heater locations: **Cockpit, galley and bedroom**
- 3. Independent 110 volt heaters include:
 - 1. Bathroom heater with local thermostat and ON/OFF convenience switch
 - 2. Plumbing bay heater with remote thermostat

10.4. Ventilation system includes:

- 1. "Fantastic" exhaust fan installed in bathroom which includes:
 - 1. Tinted exterior fan cover with rain sensor
 - 2. Remote thermostat with ON/OFF switch
 - 3. Solid surface ceiling grill (in the shower ceiling)
- 2. Wall mounted exhaust vent fan in all water closets which includes:
 - 1. Custom mirror fan cover

See page 23 for modifications to Climate Control/Ventilation

Customer signature:

Date:

Modifications to Climate Control/Ventilation:

1. None

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

11. INTERIOR LIGHTING

11.1. Flush 12 volt spot lighting as follows:

- 1. "Soft start" *step on* and *fade off* lighting control
- 2. Master light switch at entrance and bedroom that controls all 12 volt lights
- 3. Set of interior light controls installed at instrument dash
- 4. Multi-position dimming control from lighted switches - includes Crestron control of ceiling light
- 5. Lower temperature "Xelogen" light bulbs
- 6. Spot light trim rings: **Chrome trim rings**
- 7. Multiple locations as follows:
 - 1. Pilot and copilot cockpit lights
 - 2. Salon, galley, bathroom and bedroom ceiling lights
 - 3. Underside of galley and dinette upper cabinets
 - 4. Bathroom and bedroom vanity lights (*floor plan dependent*)
 - 5. Swivel spotlights at the head of the bed for reading

11.2. Micro-switched interior cabinet lighting includes:

- 1. Under all galley sinks
- 2. Under all vanity sinks
- 3. Inside all hanging wardrobe cabinets

11.3. 12 volt, "rope" accent lighting includes:

- 1. Countertop perimeters (*not applicable to some countertop designs*)
- 2. Entrance steps
- 3. Window sills
- 4. Bed top perimeter
- 5. Rear wardrobe steps (*XLVII2S walk-in wardrobes*)

11.4. Window treatment accent lighting as follows:

- 1. Salon valances: **ITC #SFTLED 12-V (#117650) rope lights - Warm white**
 - 1. Installation details: **Lights installed on back of valance**
- 2. Salon post covers: **Not applicable**
 - 1. Installation details: **Not applicable**
- 3. Bedroom valances: **ITC #SFTLED 12-V (#117650) rope lights - Warm white**
 - 1. Installation details: **Lights installed on back of valance**
- 4. Bedroom post covers: **Not applicable**
 - 1. Installation details: **Not applicable**
- 5. Salon soffit lights: **ITC #SFTLED 12-V (#117650) rope lights - Warm white**
- 6. Bedroom soffit lights: **Not applicable**

11.5. Miscellaneous 12 volt lighting includes:

- 1. Pilot and copilot map lights with halogen bulbs and 7" flexible arms
- 2. Switched lighting in all walk-in wardrobes (*36" fluorescent light*)
- 3. **Fiber optic ceiling lighting - see "4. Ceiling/Window/Wall Treatments" (pg. 10) for locations**
 - 1. Illuminator type: **4 color, dual wheel illuminator**
 - 2. Illuminator location: **With the inverters in the underbelly**
- 4. LED accent lighting as follows:
 - 1. Curbside dash: **Blue (standard)**
 - 2. Entry door logo: **Blue (standard)**
 - 3. Door safety lighting: white LEDs that shine on ground to light entry
- 5. Lights in each bunk for bunk bed floor plans
See page 25 for modifications to Interior Lighting

Customer signature:

Date:

Modifications to Interior Lighting:

1. Sconce lights on the slideout wall behind the bed beside the headboard - see Jennifer for placement

- _____ 2.
- _____ 3.
- _____ 4.
- _____ 5.
- _____ 6.
- _____ 7.
- _____ 8.
- _____ 9.
- _____ 10.
- _____

Customer signature:

Date:

12. AUDIO/VIDEO SPECIFICATIONS

12.1. Coach-wide audio/high definition video system includes:

1. Crestron remote audio/video control system as follows:
 1. Salon 5.7" touch screen remote control with countertop charging station
 2. Bedroom 5.7" touch screen remote control with wall mounted docking/charging station
 3. Provides independent zone control of salon, bedroom and underbelly A/V systems
 4. Dash 10.4" touch screen for Cockpit zone control (dash panel mounted)
 5. Includes Crestron selected video at back-up and copilot monitors (disabled with engine run)
 6. Includes lighting controls for all ceiling lights
 7. Includes control of the cockpit, salon, galley, dinette and bedroom window blinds
 8. Includes climate control of heating and air conditioning system
 9. Includes custom "Theater" button for one touch control of lights, blinds & A/V equipment
2. One Blu-ray/DVD/CD player
(Distributed throughout the coach in a resolution that is available on video displays)
- 3 One 6-Disc DVD/CD Player
4. KVH in-motion Digital Satellite System as follows:
(Antenna automatically tracks Satellite selected by Sat Receiver #1)
 1. One HD Dish Network receiver and one HD Dish network receiver with DVR function
 2. Satellite dome painted to match exterior
 5. Two AM/FM tuners with Station and Band information displayed on Crestron screens
 6. One Sirius tuner with Song and Artist information displayed on Crestron screens
 7. Color rear view camera-low light with pan/tilt and two side view cameras
 8. Winegard omni-directional roof mounted fixed television antenna
 9. Cable television shore receptacle provided with a 25 ft. coaxial television shore cable

12.2. Cockpit/Salon audio/high definition video system as follows:

1. Two Clarion *Pro Audio Series* speakers in the cockpit
2. Four Paradigm speakers installed in the salon ceiling
3. One Paradigm subwoofer **Custom - see Modifications**
4. Surround sound receiver including center channel speaker
5. One high definition 42" salon television as follows:
 1. Salon TV size/type: **42" LCD television**
 2. Salon TV sound: **Plays through salon stereo system (standard)**
 3. Salon TV installation: **Motorized, flip down from cockpit cabinetry**
 4. Salon TV features: **42" flip down TVs include heavy duty travel lock**

12.3. Bedroom audio/video system as follows:

1. Two Paradigm speakers installed in the bedroom ceiling
2. One bedroom high definition television as follows:
 1. Bedroom TV size/type: **32" LCD television (standard)**
 2. Bedroom TV sound: **Plays through bedroom stereo speakers (standard)**
 3. Bdrm TV installation: **Installed in bedroom curbside cabinet**
 4. Bedroom TV features: **Installed flush in bedroom cabinetry**

12.4. Underbelly entertainment center as follows:

1. Two shielded stereo speakers
2. One underbelly high definition television as follows:
 1. Underbelly size/type: **32" LCD television (standard)**
 2. Underbelly TV sound: **Plays through underbelly stereo speakers (standard)**
 3. Underbelly TV install.: **Installed in underbelly entertainment center (standard)**
 4. Underbelly TV features: **Installed on motorized swing-out assembly**

12.5. Floor plan specific audio/video systems as follows:

1. Additional salon HD TV: **22" LCD TV in forward slideout display cabinet (standard)**
 1. Features include: **Fixed installation in the top of display cabinet (standard)**
2. Bunk beds (each bunk): **Not applicable**

See page 27 for modifications to Audio/Video Specifications

Customer signature:

Date:

Modifications to Audio/Video Specifications:

1. Install 22" LCD TV in salon slideout on adjustable mounting bracket (PN 118141)

_____ 2. Sub Woofer installed in Curb Side Slideout occasional table

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

13. COMMUNICATION/INFORMATION SYSTEMS

13.1. Communication systems include:

1. Citizens band radio system as follows:
 1. Cobra *handheld* 40-channel radio
 2. 15" high roof mounted antenna on H3-45, 24" high on XLII
2. Landline telephone system as follows:
 1. Exterior phone inlet
 2. Phone jacks at endtable behind pilot, dinette, nightstands & underbelly entertainment bay
3. Pre-wired cellular telephone cable and antenna lead
4. Door bell with lighted exterior switch

13.2. Information systems include:

1. Dash mounted Crestron 10.4" color touch screen monitor for displaying:
 1. Rear view camera
 2. Generator status
 3. Power supplies status
 4. Plumbing tank levels
 5. Temperatures - inside/outside/bay
 6. Contact phone numbers
2. Garmin voice prompted, GPS mapping system includes:
 1. One integrated system- allowing the Pilot and Copilot touch screen control
 2. The GPS is controlled from the Crestron 10.4" touch screen monitor installed at dash
 3. One 6.95" touch screen copilot monitor installed on flexible arm for Copilot GPS control
 4. One roof mounted GPS antenna
3. Pre-wired for personal computer hook-up:
 1. Separate phone jack and 110 volt power for stand-alone computer

13.3. Warning systems include:

1. Prevest burglar alarm including:
 1. Two remote key fobs
 2. Motorized deadbolt
 3. Keyless entry
2. TV "Antenna-Up" warning indicator light with ignition switched on
3. Inverter power loss indicator light with audible warning
4. Shore power On and shore power Loss indicators at the dash
5. Carbon monoxide (CO) detector installed in the galley area
6. Smoke detector installed in the galley

See page 29 for modifications to Communication/Information Systems

Customer signature:

Date:

Modifications to Communication/Information Systems

1. **None**

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

14. PLUMBING SPECIFICATIONS

14.1. Underbelly plumbing specifications include:

1. Seamless, non-corroding, polyethylene water and holding tank system as follows:
 1. Plumbing capacities: **H3-45: 165 gal. fresh, 94 gal. gray and 60 gal. black**
 2. Pre-connected sewer hose with powered extend and retract
 3. Electrically operated gray and black tank dump valves (*manual valve on fresh tank*)
 4. Gray and black tank flush system
 5. Automatic fresh water tank fill with remote switch and cockpit indicator
 6. Gravity fresh water tank fill spout
 7. Sewer hose dump adapter with waterproof storage bag
2. Two 10.5 gallon water heaters include:
 1. Two separate heat sources - 110 volt and 12 volt
 2. Plumbed in series
3. Commercial grade, 1/2" full-flow pressure regulator for city water inlet
4. Pre-filtered shore water inlet and secondary drinking and ice water filters
5. Two 12 volt high output water pumps with "enabled" indicators, switched in plumbing bay
6. Poly water lines with hot and cold chrome-plated copper manifolds
7. Hot and cold water at exterior plumbing bay with adjustable faucet
8. Pre-connected 50' fresh water hose on electric reel (manual extend, electric retract)
9. Additional 25' fresh water hose provided

14.2. Galley plumbing specifications include:

1. Filtered drinking water and ice
2. Designer, solid surface galley sink(s) with sink covers (floor plan specific, see 14.5.1.)
3. Designer galley faucet with pull-out sprayer
4. Galley water dispenser (*floor plan dependent*):
 1. Dispenser type: **Not applicable**

14.3. Bathroom plumbing specifications include:

1. Vitreous china toilet: **Thetford Tecma electric toilet**
2. Shower fixture includes:
 1. *Temperature controlled* thermostatic mixer valve
 2. Adjustable hand-held shower with glidebar
3. Shower enclosure/door as follows (*floor plan dependent*):
 1. Enclosure/door type: **Single flat glass shower door with built-in towel bar**
 2. Enclosure/door finish: **Polished chrome**
4. Shower tray as follows (*floor plan dependent*):
 1. Shower tray style: **Custom - see Modifications**
 2. Shower floor material: **Stone**
5. Shower walls as follows:
 1. Upper shower walls: **Custom - see modifications**
 2. Lower shower walls: **Custom - see modifications**
6. Shower accent band: **Not applicable**
7. Shower caddy: **Polished, stainless steel recessed caddy**
8. Shower seat: **Chase cap acts as foot ledge (no seat)**
9. Shower ceiling: **Coffered solid surface with coved perimeter & LED lighting**

14.4. Floor plan specific plumbing specifications as follows:

1. Galley sink(s): **Color-matched single bowl solid surface sink**
2. Bathroom vanity sink: **Color-matched solid surface sink**
3. Bathroom vanity faucet: **Designer, accent-matched faucet**
4. Water closet sink: **Color-matched solid surface sink**
5. Water closet faucet: **Designer, accent-matched faucet**
6. Bedroom vanity sink: **Not applicable**
7. Bedroom vanity faucet: **Not applicable**

See page 31 for modifications to Plumbing Specifications

Customer signature:

Date:

Modifications to Plumbing Specifications:

1. **SEE SECTION: 3. SOLID SURFACING/COUNTERTOPS** for details on the vanity
backsplashes

2. Porcelain tile & granite shower walls - see Jennifer for design

3. Granite shower floor
• 4" tiles installed on a 45 degree

4.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

15. APPLIANCE SPECIFICATIONS

15.1. Gaggenau electric cook top including:

- 1. Dual element glass top
- 2. Recessed in countertop
- 3. Solid surface flush cover

15.2. "Over the cooktop" microwave oven as follows:

- 1. Microwave brand: **GE "Advantium" Speedcook oven**
- 2. Recirculating exhaust fan with charcoal filter
- 3. Over-the-cooktop light
- 4. Microwave installation: **Integrated into galley upper cabinet**

15.3. Residential full size refrigerator/freezer as follows:

- 1. Refrigerator brand: **KitchenAid side-by-side refrigerator/freezer**
- 2. Refrigerator door panels: **Bronze sheet mirror**
- 3. Automatic travel latch (engages with ignition on)
- 4. Additional features: **Ice and water dispenser in the door**

15.4. Fisher-Paykel "DishDrawer" dishwasher including:

- 1. Installed in galley lower with flush drawer front for concealed installation
- 2. Travel latch
- 3. Designer switch panel: **Chrome**

15.5. Clothes Washer/dryer as follows (*floor plan dependent*):

- 1. Washer/dryer brand: **Pre-wired & pre-plumbed for W/D on triple and quad slides**
- 2. Washer/dryer installation: **Double short hang wardrobe in lieu of W/D**

15.6. Eureka portable electric canister vacuum

See page 33 for modifications to Appliance Specifications

Customer signature:

Date:

Modifications to Appliance Specifications:

1. None

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

16. ACCESSORIES/MISCELLANEOUS

16.1. Cockpit accessories/features include:

- 1. Entry storage step with flip-up stair tread
- 2. Treadliners for entrance steps - see "5. Floor Coverings" (pg. 12) for details
- 3. Pilot and copilot drink holders
- 4. Stairwell cover with full air slide, includes an additional switch at entrance
- 5. Entrance grab handles with custom finishes as follows:
 - 1. Entrance door handle: **Dark Burl Base/012 Film/A-065-01**
 - 2. Lower dash handle: **Dark Burl Base/012 Film/A-065-01**
 - 3. H3 upper step handle: **Dark Burl Base/012 Film/A-065-01**
 - 4. Exit handle: **Dark Burl Base/012 Film/A-065-01**
- 6. Custom dash features including:
 - 1. Contoured instrument dash surround wrapped in leather
 - 2. Dash light dimmer control switch
 - 3. Custom defroster vents: **Paint to match cockpit leather**
 - 4. High gloss dash panels: **Dark Burl Base/012 Film/A-065-01**
 - 5. Dash panel matching curbside dash accent strip
 - 6. LED accent lighting - see "11. Interior Lighting" (pg. 24) for details
- 7. Upgraded steering wheel includes:
 - 1. Hand grip finish: **Leather w/ gloss black handgrips, cruise & retarder controls**
 - 2. Cruise controls
 - 3. Engine brake/retarder controls (*transmission retarder is custom order only*)
 - 4. Pilot and copilot windshield window blind buttons
- 8. Custom entry door treatment includes:
 - 1. Sculptured, leather and stainless steel door covering
 - 2. Dash panel matching accent strip
 - 3. LED accent lighting - see "11. Interior Lighting" (pg. 24) for details
- 9. Leather wrapped pilot storage pouch on driver console (*XLVII only*)
- 10. Fire extinguisher

16.2. Salon accessories include:

- 1. Throw pillows for each sofa

16.3. Galley accessories include:

- 1. Trash container in the galley lower cabinet
- 2. Sink and stovetop cover holder in the galley lower cabinet
- 3. Marathon display cabinets include the following treatments:
 - 1. Curbside display(s): **Display shelving only (no glasses)**
 - 2. Driverside display(s): **Not applicable**

16.4. Bathroom accessories include:

- 1. Damp towel ring located the shower
- 2. Accent matched towel bar(s) in the bathroom
- 3. Toilet tissue holder

16.5. Bedroom accessories include:

- 1. Bedspread/comforter with shams
- 2. Three bed throw pillows
- 3. One set of color coordinated, custom fit bed sheets
- 4. One custom fit mattress pad
- 5. Keyed, fire resistant safe: **Concealed in rear bedroom wardrobe**

16.6. Miscellaneous "Owners" features:

- 1. Complete owner's manual for coach operation
- 2. Individual walk through with delivery
- 3. List of nationwide service outlets
- 4. 24 hour, toll free, 800 number for service information
- 5. Full alphabetical warranty and information file for all equipment utilized

See page 35 for modifications to Accessories/Miscellaneous

Customer signature:

Date:

Modifications to Accessories/Miscellaneous:

1. None

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

THIS PAGE LEFT BLANK ON PURPOSE

Customer signature:

Date: